<u>レジメン番号</u>: EmC-103

対象疾患	レジメン名称	コース期間	総コース数	適応	催吐リスク	
子宮体がん	DC療法	21日間	6コース	■ 進行/再発 ■ 術後補助化学療法 □ 術前補助化学療法 □ 放射線併用化学療法 □ その他	高/中	

根拠
Ann Oncol 22: 636-42, 2011

		投与時間	Day																										
	薬品名	投与量	投与 経路	時間	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19 20	21	$] \setminus$				
	デキサート	6.6mg																							\	\			
1	アロキシ	0.75mg	点滴静注	15分	1																							/	,
	生理食塩液	50mL																											
3	ドセタキセル	60mg/m²	点滴静注	60分																						\			
3	5%ブドウ糖液	250mL		60 _万	1																					`	\		
4	カルボプラチン	AUC 5	点滴静注	604																								/	
4	5%ブドウ糖液	250mL		60分	1																						\bigvee		
6	生理食塩液	50mL	点滴静注	5分	1																						\wedge		
																											/ \	\	
																										,	/		
																												\	
																									/	/			
								1 1																					

<注意事項/備考>

ヘルベチタ/ 州コノ	
✓ DOC: 浮腫予防として、DEX 8mg/dayを2日間内服(day1タ~day3朝)の検討も	
✔ CBDCA: 投与回数を重ねると、ショック、アナフィラキシー様症状の発現頻度が高くなる傾向(8コース前後)	
\checkmark	
\checkmark	
\checkmark	
\checkmark	