レジメン番号: SCLC-116

対象疾患	レジメン名称	コース期間	総コース数	適応	催吐リスク	根拠
小細胞肺がん	CPT-11単剤	28日間	規定なし	■ 進行/再発 □ 術後補助化学療法 □ 術前補助化学療法 □ 放射線併用化学療法 □ その他	ф	Jpn J Cancer Chemother 18: 1013-19, 1991

	薬品名	投与量	投与 経路	投与 時間	Day											Day																		
	米 面石	投 子里	経路	時間	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28		
	デキサート	6.6mg																													ı			
1	アロキシ	0.75mg	点滴静注	5分	1							1							→												ı			
	生理食塩液	50mL																													ı			
2	イリノテカン	100mg/m²	点滴静注	占海熱汁	占海热计	90分	+							+							→													
	生理食塩液	250mL	黑心群工	9071	•							*							*												ı			
3	生理食塩液	50mL	点滴静注	5分	1							1							→															
																															ı			

<注意事項/備考>

1	下痢(CPT-11)	:急性症状	(コリン様症状、	前投薬に抗コリン	/薬併用などの検討)	と慢性症状	(活性代謝物に。	よる粘膜障害、	必要に応じてロペ	ラミドの検討)	
✓												
✓												
✓												
✓												
1												