

2014 年度以降の年度別英語論文

2014 年度英語論文 (2014. 4~2015. 3) 32 編

1. Li M, Omi T, Matano Y, Fujimori S, Kawana S. The diagnostic usefulness of video capsule endoscopy in adolescent immunoglobulin a vasculitis (Henoch-Schönlein Purpura). *J Nippon Med Sch* 81 (2): 114-117, 2014. (2014. 4)
2. Matayoshi T, Omi T, Mayumi N, Kawana S. Hashimoto's thyroiditis with clinical manifestations resembling dermatomyositis: a case report. *J Nippon Med Sci* 81 (2): 106- 109, 2014. (2014. 4)
3. Kawasaki Y, Kawana S. Efficacy and safety of a topical carbon suspension photoenhancer adjunctive to intense pulsed light treatment for pigmented lesions in Japanese patients: A pilot study. *Laser Ther* 23 (1): 13- 19, 2014. (2014. 5)
4. Okamura K, Yoshizawa J, Abe Y, Hanaoka K, Higashi N, Togawa Y, Nakagawa S, Kambe N, Funasaka Y, Ohko K, Hozumi Y, Suzuki T. Oculocutaneous albinism (OCA) in Japanese patients: five novel mutations. *J Dermatol* 74 (2): 173- 174, 2014. (2014. 5)
5. Omori Y, Saeki H, Ito K, Umezawa Y, Ishiji T, Fukunaga M, Nakagawa H. Extragenital subcutaneous cellular angiofibroma of the elbow. *J Eur Acad Dermatol Venereol* 28 (6): 828-30, 2014. (2014. 6)
6. Omori Y, Saeki H, Ito K, Matsuzaki H, Tokita M, Itoh M, Tanito K, Ishiji T, Fukunaga M, Nakagawa H: Solitary fibrous tumor of the scalp. *Clin Exp Dermatol* 39 (4): 539-41, 2014. (2014. 6)
7. Fujimoto K, Kawasaki Y, Morimoto K, Kikuchi I, Kawana S. Treatment for crusted scabies: limitations and side effects of treatment with ivermectin. *J Nippon Med Sch* 81 (3): 157-163, 2014. (2014. 7)
8. Kaga M, Nakamoto Y, Nakamura K, Ikeda K, Yoshii M, Kawana S. Stress sensitivity in patients with atopic dermatitis in relation to the translocator protein 18 kDa (TSPO). *J Nippon Med Sch* 81 (3): 148-156, 2014. (2014. 7)
9. Yoshida R, Kato T, Kawase M, Honda M, Mitsuishi T. Two sisters reveal autosomal recessive inheritance of epidermodysplasia verruciformis: a case report. *BMC Dermatol* 14: 12 (doi:

10.1186/1471-5945-14-12), 2014. (2014. 7)

10. Asayama S, Akilov OE, Kawana S. Photodynamic therapy with 5% δ -aminolevulinic acid is safe and effective treatment of acne vulgaris in Japanese patients. *Laser Therapy* 23 (2): 115-120, 2014. (2014. 7)

11. Omori Y, Tanito K, Ito K, Itoh M, Saeki H, Nakagawa H: A pediatric case of multiple palisaded encapsulated neuromas of the palms and soles. *Pediatr Dermatol* 31 (4): e107-9, 2014. (2014. 7)

12. Furumatsu A, Shimizu H, Bito T, Funasaka Y, Nishigori C. Large plaque-type benign cephalic histiocytosis showing rapid aggravation following vaccination. *Cutis* 94 (2): E13-14, 2014. (2014. 8)

13. Saeki H, Ito K, Nobeyama Y, Ishiji T, Fukunaga M, Nakagawa H: Hybrid peripheral nerve sheath tumor with intermingled perineuriomatous and schwannomatous areas reflected in skin ultrasound image. *Clin Exp Dermatol* 39 (6): 747-9, 2014. (2014. 8)

14. Shirai A, Saeki H, Matsuzaki H, Ito K, Kubo M, Nakagawa H: Multiple clear cell acanthoma associated with multiple Bowen's disease. *Int J Dermatol* 53 (8): e386-8, 2014. (2014. 8)

15. Umezawa Y, Saeki H, Nakagawa H: Some clinical factors affecting quality of the response to the ustekinumab for psoriasis. *J Dermatol* 41 (8): 690-6, 2014. (2014. 8)

16. Yamanaka K, Umezawa Y, Yamagiwa A, Saeki H, Kondo M, Gabazza EC, Nakagawa H, Mizutani H: Biologic therapy improves psoriasis by decreasing the activity of monocytes and neutrophils. *J Dermatol* 41 (8): 679-85, 2014. (2014. 8)

17. Katayama I, Kohno Y, Akiyama K, Aihara M, Kondo N, Saeki H, Shoji S, Yamada H, Nakamura K. Japanese Society of Allergology. Japanese guideline for atopic dermatitis 2014. *Allergol Int* 63 (3): 377- 398, 2014. (2014. 9)

18. Kitagawa Y, Miyamoto M, Konno S, Makino A, Maruyama G, Takai S, Higashi N. Subcutaneous angioliopoma: Magnetic resonance imaging features with histological correlation. *J Nippon Med Sch* 81 (5): 313-319, 2014. (2014. 10)

19. Ansai S, Hashizume S, Kawana S, Tateishi C, Koga H, Hashimoto T. Case of anti-laminin γ -1 pemphigoid with antibody against C-terminal domain of BP180 in a patient with psoriasis

vulgaris. *J Dermatol* 41 (11): 1031- 1033, 2014. (2014. 11)

20. Tamari M, Saeki H, Hayashi M, Umezawa Y, Ito T, Fukuchi O, Nobeyama Y, Yanaba K, Nakagawa H, Tsunemi Y, Kato T, Shibata S, Sugaya M, Sato S, Tada Y, Doi S, Miyatake A, Ebe K, Noguchi E, Fujieda S, Ebihara T, Amagai M, Esaki H, Takeuchi S, Furue M, Hirota T. An association study of 36 psoriasis susceptibility loci for psoriasis vulgaris and atopic dermatitis in a Japanese population. *J Dermatol Sci* 76 (2): 156- 157, 2014. (2014. 11)

21. Ichiyama S, Nemoto R, Tanabe H, Haga T. Interaction of the muscarinic acetylcholine receptor M₂ subtype with G protein G α (i/o) isoforms and G $\beta\gamma$ subunits as studied with the maltose-binding protein-M₂-G α (i/o) fusion proteins expressed in *Escherichia coli*. *J Biochem* 156 (5): 259- 272, 2014. (2014. 11)

22. Omori Y, Tanito K, Ito K, Ishiji T, Saeki H, Saeki Y, Nakagawa H: Bowen's carcinoma of the penis with sebaceous differentiation associated with human papillomavirus type 16. *Int J Dermatol* 53 (11): e531-2, 2014. (2014. 11)

23. Hayashi M, Umezawa Y, Fukuchi O, Ito T, Saeki H, Nakagawa H: Efficacy and safety of ustekinumab treatment in elderly patients with psoriasis. *J Dermatol* 41 (11): 974-80, 2014. (2014. 11)

24. Isomura T, Kono T, Hindmarch I, Kikuchi N, Murakami A, Inuzuka K, Kawana S. Central nervous system effects of the second-generation antihistamines marketed in Japan -review of inter-drug differences using the proportional impairment ratio (PIR). *PLoS One* 9 (12): e114336, 2014. (2014. 12)

25. Ansai S, Noro S, Ogita A, Fukumoto H, Katano H, Kawana S. Case of Merkel cell carcinoma with squamous cell carcinoma possibly arising in chronic radiodermatitis of the hand. *J Dermatol* 41 (12): 1- 3, 2014. (2014. 12)

26. Hayashi M, Nakayama T, Hirota T, Saeki H, Nobeyama Y, Ito T, Umezawa Y, Fukuchi O, Yanaba K, Kikuchi S, Nakagawa H, Tsunemi Y, Shibata S, Sato S, Tada Y, Miyatake A, Fujieda S, Tamari M. Novel IL36RN gene mutation revealed by analysis of 8 Japanese patients with generalized pustular psoriasis. *J Dermatol Sci* 76 (3): 267- 269, 2014. (2014. 12)

27. Yanaba K, Umezawa Y, Ito T, Hayashi M, Kikuchi S, Fukuchi O, Saeki H, Nakagawa H. Impact of obesity on the efficacy of ustekinumab in Japanese patients with psoriasis: a retrospective cohort study of 111 patients. *Arch Dermatol Res* 306 (10): 921- 925, 2014. (2014.

12)

28. Saeki H, Ito K, Nobeyama Y, Nakagawa H: Pigmented clear cell acanthoma of the finger simulating pigmented nevus. *Int J Dermatol* 53 (12): e579-81, 2014. (2014. 12)

29. Yonenaga T, Saeki H, Nakagawa H, Fukuchi O, Umezawa Y, Hayashi M, Ito T, Yanaba K, Tojyo S, Fukuda K. Four cases of Japanese patients with psoriatic arthritis in whom effective treatments by anti-tumor necrosis factor- α drugs were evaluated by magnetic resonance imaging together with improvement of skin lesions. *J Dermatol* 42 (1): 49-55, 2015. (2015. 1)

30. Furue M, Onozuka D, Takeuchi S, Murota H, Sugaya M, Masuda K, Hiragun T, Kaneko S, Saeki H, Shintani Y, Tsunemi Y, Abe S, Kobayashi M, Kitami Y, Tanioka M, Imafuku S, Abe M, Inomata N, Morisky DE, Katoh N. Poor adherence to oral and topical medication in 3096 dermatological patients as assessed by the Morisky Medication Adherence Scale-8. *Br J Dermatol* 172 (1): 272- 275, 2015. (2015 1)

31. Nishigori C, Aoyama Y, Ito A, Suzuki K, Suzuki T, Tanemura A, Ito M, Katayama I, Oiso N, Kagohashi Y, Sugiura S, Fukai K, Funasaka Y, Yamashita T, Matsunaga K. Guide for medical professionals (i.e. dermatologists) for the management of Rhododendrol-induced leukoderma. *J Dermatol* 42 (2): 113- 128, 2015. (2015. 2)

32. Kido-Nakahara M, Katoh N, Saeki H, Mizutani H, Hagihara A, Takeuchi S, Nakahara T, Masuda K, Tamagawa-Mineoka R, Nakagawa H, Omoto Y, Matsubara K, Furue M: Comparative cut-off value setting of pruritus intensity in visual analogue scale and verbal rating scale. *Acta Derm Venereol* 95 (3): 345-6, 2015. (2015.3)

2015 年度英語論文 (2015. 4~2016. 3) 27 編

1. Fukumoto H, Li T-C, Kataoka M, Hasegawa H, Wakita T, Saeki H, Suzuki T, Katano H: Seroprevalence of trichodysplasia spinulosa-associated polyomavirus in Japan. *J Clin Virol* 65: 76-82, 2015. (2015. 4)

2. Saeki H, Imafuku S, Abe M, Shintani Y, Onozuka D, Hagihara A, Katoh N, Murota H, Takeuchi S, Sugaya M, Tanioka M, Kaneko S, Masuda K, Hiragun T, Inomata N, Kitami Y, Tsunemi Y, Abe S, Kobayashi M, Morisky DE, Furue M: Poor adherence to medication as assessed by the Morisky Medication Adherence Scale-8 and low satisfaction with treatment in 237 psoriasis patients. *J Dermatol* 42 (4): 367-72, 2015. (2015. 4)

3. Yano C, Saeki H, Komine M, Kagami S, Tsunemi Y, Ohtsuki M, Nakagawa H: Mechanism of macrophage-derived chemokine (MDC)/CCL22 production by HaCaT keratinocytes. *Ann Dermatol* 27 (2): 152-6, 2015. (2015. 4)
4. Ozaki S, Funasaka Y, Takubo M, Matayoshi T, Ueno T, Asayama T, Saeki H: Granulocyte colony-stimulating factor induced granulomatous dermatitis with enlarged histiocytes clinically manifesting painful edematous nodules with high fever like Sweet's syndrome. *J Dermatol* 42 (4): 414-7, 2015. (2015. 4)
5. Okazaki S, Funasaka Y, Wakamatsu K, Kawana S, Saeki H: Effect of infrared radiation A on photoaged hairless mice harboring eumelanin and pheomelanin in the epidermis. *J Dermatol* 42 (4): 382-90, 2015. (2015. 4)
6. Oyama S, Funasaka Y, Watanabe A, Takizawa T, Kawana S, Saeki H: *BRAF*, *KIT*, and *NRAS* mutations and expression of c-KIT, pERK and pAKT in Japanese melanoma patients. *J Dermatol* 42 (5): 477-84, 2015. (2015. 5).
7. Takayama R, Ueno T, Yamashita H, Futagami A, Ansai S, Fukumoto T, Saeki H: Hobnail Hemangioma: A case report. *J Nippon Med Sch* 82 (3): 151-5, 2015 (2015. 6).
8. Saeki H, Nakagawa H, Ishii T, Morisaki Y, Aoki T, Berclaz P-Y, Heffernan M: Efficacy and safety of open-label ixekizumab treatment in Japanese patients with moderate-to severe plaque, erythrodermic psoriasis, and generalized pustular psoriasis. *J Eur Acad Dermatol Venereol* 29 (6): 1148-55, 2015. (2015. 6)
9. Umezawa Y, Hayashi M, Kikuchi S, Fukuchi O, Yanaba K, Ito T, Asahina A, Saeki H, Nakagawa H: Ustekinumab treatment in patients with psoriasis undergoing hemodialysis. *J Dermatol* 42 (7): 731-4, 2015 (2015. 7).
10. Okamura K, Abe Y, Fukai K, Tsuruta D, Suga Y, Nakamura M, Funasaka Y, Oka M, Suzuki N, Wataya-Kaneda M, Seishima M, Hozumi Y, Kawaguchi M, Suzuki T. Mutation analyses of patients with dyschromatosis symmetrica hereditaria: Ten novel mutations of the ADAR1 gene. *J Dermatol Sci* 79(1): 88-90, 2015 (2015. 7).
11. Yanaba K, Umezawa Y, Sakakihara R, Chiba M, Ito T, Kikuchi S, Fukuchi O, Saeki H, Nakagawa H: Infliximab and adalimumab, unlike ustekinumab, increase serum KL-6 levels in patients with psoriasis. *J Dermatol* 42 (8): 828-9, 2015. (2015. 8).

12. Saeki H, Ito T, Hayashi M, Fukuchi O, Umezawa Y, Nobeyama Y, Teruya K, Nakagawa H: Successful treatment of ustekinumab in a severe psoriasis patient with human immunodeficiency virus infection. *J Eur Acad Dermatol Venereol* 29 (8): 1653-5, 2015. (2015. 8)
13. Murota H, Takeuchi S, Sugaya M, Tanioka M, Onozuka D, Hagihara A, Saeki H, Imafuku S, Abe M, Shintani Y, Kaneko S, Masuda K, Hiragun T, Inomata N, Kitami Y, Tsunemi T, Abe S, Kobayashi M, Morisky DE, Furue M, Katoh N: Characterization of socioeconomic status of Japanese patients with atopic dermatitis showing poor medical adherence and reasons for drug discontinuation. *J Dermatol Sci* 79 (3): 279-87, 2015. (2015. 9)
14. Ozaki S, Funasaka Y, Tsuruta K, Kubota T, Matayoshi T, Ueno T, Saeki H: Extranodal natural killer/T-cell lymphoma, nasal type, presenting with altered CD56 expression: A case report. *J Dermatol* 42 (10): 1022-3, 2015. (2015. 10)
15. Shinohara R, Ansai S, Ogita A, Matsuda H, Saeki H, Tanaka M: Dermoscopic findings of microcystic adnexal carcinoma. *Eur J Dermatol* 25 (5): 516-8, 2015. (2015. 10)
16. Yamashita H, Ansai S, Ueno T, Osada S, Kawana S, Koga H, Ishii N, Hashimoto T: Bullous pemphigoid with IgG autoantibodies to BP180C-terminal domain and desmocollin 3 associated with transverse colon cancer. *Eur J Dermatol* 25 (5): 515-6, 2015. (2015. 10)
17. Kaneko S, Masuda K, Hiragun T, Inomata N, Furue M, Onozuka D, Takeuchi S, Murota H, Sugaya M, Saeki H, Shintani Y, Tsunemi Y, Abe S, Kobayashi M, Kitami Y, Tanioka M, Imafuku S, Abe M, Hagihara A, Morisky DE, Katoh N: Transient improvement of urticaria induces poor adherence as assessed by Morisky Medication Adherence Scale-8. *J Dermatol* 42 (11): 1078-82, 2015. (2015. 11)
18. Fukumoto H, Sato Y, Hasegawa H, Saeki H, Katano H: Development of a new real-time PCR system for simultaneous detection of bacteria and fungi in pathological samples. *Int J Clin Exp Pathol* 8 (11): 15479-88, 2015. (2015. 11)
19. Matsuoka Y, Ansai S, Ogita A, Shinohara R, Nako T, Matsuda H, Tanaka M: Case of basosquamous carcinoma: Dermoscopic and immunohistochemical findings. *J Dermatol* 42 (11): 1102-3, 2015. (2015. 11)
20. Nishioka M, Kunisada M, Fujiwara N, Oka M, Funasaka Y, Nishigori C: Multiple apocrine

poromas: a new case report. J Cutan Pathol 42 (11): 894-6, 2015. (2015. 11). (IF=1.40)

21. Yanaba K, Sadaoka A, Yonenaga T, Saeki H, Umezawa Y, Tojyo S, Ito T, Kikuchi S, Fukuda K, Nakagawa H: Adalimumab markedly improves enthesitis in psoriatic arthritis: Evaluation with a magnetic resonance imaging scoring system. J Dermatol 42 (12): 1153-9, 2015 (2015. 12)

22. Ogita A, Funasaka Y, Ansai S, Kawana S, Saeki H: Male melasma due to estrogen therapy for prostate cancer: case report with literature review. Ann Dermatol 27 (6): 763-4, 2015. (2015. 12)

23. Tsunemi Y, Abe S, Kobayashi M, Kitami Y, Onozuka D, Takeuchi S, Murota H, Sugaya M, Masuda K, Hiragun T, Kaneko S, Saeki H, Shintani Y, Tanioka M, Imafuku S, Abe M, Inomata N, Morisky DE, Katoh N, Furue M: Adherence to oral and topical medication in 445 patients with tinea pedis as assessed by Morisky Medication Adherence Scale-8. Eur J Dermatol 25 (6): 570-7. (2015. 12)

24. Hayashi M, Yanaba K, Umezawa Y, Yoshihara Y, Kikuchi S, Ishiujii Y, Saeki H, Nakagawa H: IL-10-producing regulatory B cells are decreased in patients with psoriasis. J Dermatol Sci 81: 93-100, 2016. (2016. 2)

25. Kanzaki A, Kudo M, Aasai S, Peng W-X, Ishino K, Yamamoto T, Wada R, Fujii T, Tezuka K, Kawahara K, Kawamoto Y, Kitamura T, Kawana S, Saeki H, Naito Z: Insulin-like growth factor 2 mRNA-binding protein-3 as a marker for distinguishing between cutaneous squamous cell carcinoma and keratoacanthoma. Int J Oncol 48 (3): 1007-15, 2016. (2016. 3)

26. Ichiyama S, Funasaka Y, Otsuka Y, Takayama R, Kawana S, Saeki H, Kubo A: Effective treatment by glycolic acid peeling for cutaneous manifestation of familial generalized acanthosis nigricans caused by *FGFR3* mutation. J Eur Acad Dermatol Venereol 30 (3): 442-5, 2016. (2016. 3)

27. Goto K, Takai T, Fukumoto T, Anan T, Kimura T, Ansai SI, Oshitani Y, Murata Y, Sakuma T, Hirose T: CD117 (KIT) is a useful immunohistochemical marker for differentiating porocarcinoma from squamous cell carcinoma. J Cutan Pathol 43 (3): 219-26, 2016. (2016. 3)

2016 年度英語論文 (2016. 4~2017. 3) 33 編

1. Matsuda H, Ansai S, Ogita A, Saeki H: A case of syringomatous carcinoma with unique clinical presentation. *J Dermatol* 43 (4): 450-2, 2016. (2016. 4)
2. Ansai S, Ogita A, Matsuda H, Saeki H, Tanaka M: Collision of basal cell carcinoma and melanocytic nevus with unique dermoscopic findings. *J Dermatol* 43 (5): 584-5, 2016. (2016. 5)
3. Fukumoto H, Hishima T, Hasegawa H, Saeki H, Kuroda M, Katano H: Evaluation of Vero cell-derived simian endogenous retrovirus infection in human by detection of viral genome in clinicopathological samples and commercialized vaccines and serology of Japanese general population. *Vaccine* 34 (24): 2700-6, 2016. (2016. 5)
4. Akiyama M, Ueno T, Kanzaki A, Kuwana M, Magao M, Saeki H: Association of psoriasis with Hashimoto's thyroiditis, Sjögren syndrome and dermatomyositis. *J Dermatol* 43 (6): 711-2, 2016. (2016. 6)
5. Kikuchi S, Umezawa Y, Hayashi M, Yanaba K, Fukuchi O, Ito T, Asahina A, Saeki H, Nakagawa H: Interstitial pneumonia in two patients with psoriasis during ustekinumab treatment. *J Dermatol* 43 (6): 712-3, 2016. (2016. 6)
6. Ito M, Maejima Y, Okazaki S, Isobe M, Saeki H: A case of generalized pustular psoriasis associated with Turner syndrome and dilated cardiomyopathy. *J Dermatol* 43: (7): 829-30, 2016. (2016. 7)
7. Otsuka Y, Ueno T, Kaneko A, Ito M, Osada S, Kawana S, Funasaka Y, Teye K, Ishii N, Hashimoto T, Saeki H: A case of paraneoplastic pemphigus with IgG and IgA antibodies to various antigens. *J Dermatol* 43 (8): 944-6, 2016. (2016. 8)
8. Mikami E, Yanase M, Ito M, Kanzaki A, Saeki H: Generalized granuloma annulare associated with hepatitis C virus infection successfully treated with narrowband ultraviolet B therapy. *J Dermatol* 43 (8): 975-7, 2016. (2016. 8)
9. Asahina A, Etoh T, Igarashi A, Imafuku S, Saeki H, Shibasaki Y, Tomochika Y, Toyozumi S, Nagaoka M, Ohtsuki M: Oral tofacitinib efficacy, safety, and tolerability in Japanese patients with moderate to severe plaque psoriasis and psoriatic arthritis: a randomized, double-blind, Phase 3 study. *J Dermatol* 43 (8): 869-80, 2016. (2016. 8)
10. Kanzaki A, Funasaka Y, Nakamizo M, Shima A, Ryotokuji T, Dan K, Terasaki M, Sugisaki Y, Fukuda Y, Kawana S, Saeki H: Extranodal natural killer /T-cell lymphoma, nasal type, with primary manifestation as an upper eyelid swelling. *J Nippon Med Sch* 83 (4): 177-9, 2016. (2016. 8)

11. Hoashi T, Kikuchi K, Sato S, Saeki H: A case of penile basal cell carcinoma reconstructed by scrotal myofasciocutaneous flap. *Dermatol Surg* 29 (5): 349-52, 2016. (2016. 9)
12. Yokose C, Asai J, Kan S, Nomiya T, Takenaka H, Konishi E, Goto K, Ansai S, Katoh N: Myoepithelial carcinoma on the right shoulder: Case report with literature review. *J Dermatol* 43 (9): 1083-7, 2016. (2016. 9)
13. Saeki H, Nakahara T, Tanaka A, Kabashima K, Sugaya M, Murota H, Ebihara T, Kataoka Y, Aihara M, Etoh T, Katoh N: Clinical practice guidelines for the management of atopic dermatitis 2016. *J Dermatol* 43 (10): 1117-45, 2016. (2016. 10)
14. Ogita A, Ansai S, Misago N, Anan T, Fukumoto T, Saeki H: Clinicopathological study of crateriform verruca: Crateriform epithelial lesions histopathologically distinct from keratoacanthoma. *J Dermatol* 43 (10): 1154-9, 2016. (2016. 10)
15. Yamase A, Kono T, Ishii N, Hashimoto T, Saeki H: An autoimmune bullous dermatosis with clinical, histological, and immunological features of bullous pemphigoid and epidermolysis bullosa acquisita in an adult. *Br J Dermatol* 175 (4): 790-3, 2016. (2016. 10)
16. Tatsumi S, Ri M, Higashi N, Wakayama N, Matsue S, Tosa M: Pott's puffy tumor in an adult: case report and review of literature. *J Nippon Med Sch* 83 (5): 211-4, 2016. (2016. 10)
17. Ogita A, Ansai S, Misago N, Anan T, Fukumoto T, Saeki H: Histopathological diagnosis of epithelial crateriform tumors: keratoacanthoma and other epithelial crateriform tumors. *J Dermatol* 43 (11): 1321-31, 2016. (2016. 11)
18. Hoashi T, Funasaka Y, Shirakawa N, Matano Y, Ansai S, and Saeki H: Case of subungual malignant melanoma showing the subtle clinical features and unexpected typical histopathologic findings of melanoma *in situ*. *J Dermatol* 43 (11): 1361-2, 2016. (2016. 11)
19. Adachi A, Komine M, Murata S, Maekawa T, Ansai S, Ohtsuki M: A case of mixed form primary cutaneous mucinous carcinoma with the initial lesion exhibiting similar histopathological features to those of syringomatous carcinoma. *J Dermatol* 43 (11), 2016. (2016. 11)
20. Kinoshita Y, Saeki H: A review of the pathogenesis of toxic epidermal necrolysis. *J Nippon Med Sch* 83 (6): 216-22, 2016. (2016. 12)
21. Hoashi T, Matsumoto N, Serizawa N, Kataoka K, Nako T, Shirakawa N, Matano Y, Funasaka Y, Saeki H: A case of occipital neuralgia in a vemrafenib-treated melanoma patient. *Int J Dermatol* 56 (1): e10-11, 2017. (2017. 01)
22. Ozaki S, Funasaka Y, Shimizu A, Kawarasaki M, Kanzaki A, Futagami A, Yamaguchi H,

Sugisaki Y, Saeki H: Follicular lymphoma presenting follicular papules in the skin: a case report. *J Dermatol* 44 (1): 111-3, 2017. (2017. 01).

23. Kinoshita Y, Saeki H: A review of toxic epidermal necrolysis management in Japan. *Allergol Int* 66 (1): 36-41, 2017. (2017. 01)

24. Saeki H, Yamada K, Morikawa N, Asahina A, Ochiai T, Iijima M: Severe drug eruptions due to lamotrigine in Japan based on data from the relief system of the Pharmaceuticals and Medical Devices Agency. *Allergol Int* 66 (1): 156-8, 2017. (2017. 01)

25. Watanabe M, Ansai S, Iwakiri I, Fukumoto T, Murakami M: A case of pleomorphic rhabdomyosarcoma arising from subcutaneous tissue in an adult patient: review of the literature on 13 cutaneous or subcutaneous cases. *J Dermatol* 44 (1): 59-63, 2017. (2017. 01)

26. Ozaki S, Funasaka Y, Otsuka Y, Oyama S, Ito M, Osada S, Ueno T, Okamura K, Hozumi Y, Suzuki T, Kawana S, Saeki H: Melanotic malignant melanoma in oculocutaneous albinism type 4. *Acta Derm Venereol* 97 (2): 287-8, 2017. (2017. 2)

27. Takayama R, Ueno T, Saeki H: IgG4-related disease and the skin manifestation. *J Dermatol*, 44 (3): 288-96, 2017. (2017. 3)

28. Saeki H: Management of atopic dermatitis in Japan. *J Nippon Med Sch* 84 (1): 2-11, 2017. (2017. 2)

29. Ansai S: Topics in histopathology of sweat gland and sebaceous neoplasms. *J Dermatol* 44 (3): 315-26, 2017. (2017. 3)

30. Ito K, Ansai S, Fukumoto T, Anan T, Kimura T: Clinicopathological analysis of 384 cases of poroid neoplasms including 98 cases of apocrine type cases. *J Dermatol* 44 (3): 327-34, 2017. (2017. 3)

31. Saeki H, Ochiai T, Iijima M: Comparison of severe drug eruptions in Japan between 2005-2009 and 2010-2014 based on data from the relief system of the Pharmaceuticals and Medical Devices Agency. *J Dermatol* 44 (3): e5-6, 2017. (2017. 3)

32. Saeki H, Kinoshita Y, Asahina A, Ochiai T, Iijima M: Toxic epidermal necrolysis in Japan in the past 10 years based on data from the relief system of the Pharmaceuticals and Medical Devices Agency. *J Dermatol* 44 (3): e5-6, 2017. (2017. 3)

33. Namiki T, Ichiyama S, Funasaka Y, Ito M, Kanzaki A, Miura K, Nojima K, Saeki H, Yokozeki H, Tanaka M: Dermoscopy of pigmented papillated Bowen disease: A report of two cases. *J Dermatol* 44 (3): e23-4, 2017. (2017. 3)

1. Nako T, Hoashi T, Kanzaki A, Serizawa N, Funasaka Y, Saeki H: A case of blue naevus of the mucocutaneous junction of the lower eyelid margin associated with acquired bilateral naevus of Ota-like macule. *Clin Exp Dermatol* 42 (3): 339-41, 2017. (2017. 4)
2. Kinoshita Y, Saeki H, Asahina A, Ochiai T, Iijima M: Drug-induced hypersensitivity syndrome in Japan in the past 10 years based on data from the relief system of the Pharmaceuticals and Medical Devices Agency. *Allegol Int* 66 (2): 363-5, 2017. (2017. 4)
3. Katayama I, Aihara M, Ohya Y, Saeki H, Shimojo N, Shoji S, Taniguchi M, Yamada H: Japanese guideline for atopic dermatitis 2017. *Allegol Int* 66 (2): 230-47, 2017. (2017. 4)
4. Saeki H, Nakagawa H, Nakajo K, Ishii T, Morisaki Y, Aoki T, Cameron GS, Osuntokun OO: Efficacy and safety of ixekizumab treatment for Japanese patients with moderate-to severe plaque psoriasis, erythrodermic psoriasis, and generalized pustular psoriasis: results from a 52-week, open-label, phase 3 study. *J Dermatol* 44 (4): 355-62, 2017. (2017. 4)
5. Ichiyama S, Matayoshi T, Kaneko T, Shimizu A, Osada S, Watanabe A, Mitsui K, Tsuruoka S, Iwakiri K, Kawana S, Saeki H: Successful multitarget therapy using prednisone, mizoribine, and tacrolimus for Henoch-Schönlein purpura nephritis in children. *J Dermatol* 44 (4): e56-7, 2017. (2017. 4)
6. Tanaka M, Funasaka Y, Tsuruta K, Kanzaki A, Takahashi K, Saeki H: Coexistence of intralymphatic histiocytosis and interstitial granulomatous dermatitis in a patient with rheumatoid arthritis. *Ann Dermatol* 29 (2): 237-8, 2017. (2017. 4)
7. Serizawa N, Funasaka Y, Goto H, Kanzaki A, Hori J, Takano Y, Saeki H: Sarcoidosis with multiple sarcoid granulomas on the face where platelet-rich plasma was injected for treatment of wrinkles. *Ann Dermatol* 29 (2): 239-41, 2017. (2017. 4)
8. Yamase A, Funasaka Y, Ueno T, Ito M, Ohtsuka Y, Kawana S, Saeki H: Squamous cell carcinomas on bilateral feet arising in long-standing eczematous lesions. *J Nippon Med Sch* 84 (2): 105-7, 2017. (2017. 4)
9. Ito K, Ansai S, Saeki H: A case of syringocystadenoma papilliferum with tubular papillary adenoma on the chest. *J Nippon Med Sch* 84 (2): 79-82, 2017. (2017. 4)
10. Asahara M, Hoashi T, Shirakawa N, Matano Y, Funasaka Y, Saeki H: A case of nodular melanoma on the upper eyelid dermoscopically mimicking pigmented basal cell carcinoma. *J Dermatol* 44 (5): 543-5, 2017. (2017. 5)
11. Nako T, Hoashi T, Mayumi N, Okazaki S, Kataoka K, Ito M, Mikami E, Funasaka Y, Tanaka M, Saeki H: A case of pigmented Bowen's disease on the volar aspect of the finger dermoscopically mimicking melanoma *in situ*. *J Dermatol* 44 (5): 545-6, 2017. (2017. 5)
12. Kinoshita Y, Saeki H: A review of active treatments of toxic epidermal necrolysis. *J Nippon*

Med Sch 84 (3): 110-117, 2017 (2017. 6)

13. Shigematsu Y, Hayashi R, Yoshida K, Shimizu A, Kubota M, Komori M, Shimomura Y, Niizeki H: Novel heterozygous deletion mutation c.821delC in the AAA domain of *BCS1L* underlies Björnstad syndrome. *J Dermatol* 44 (6): e111-2, 2017. (2017. 6)

14. Ichiyama S, Funasaka Y, Yamashita H, Tamura H, Inokuchi K, Saeki H: Leukocytoclastic vasculitis with eosinophilic infiltration associated with thalidomide therapy for multiple myeloma: A case report. *Allegol Int* 66 (3): 497-8, 2017. (2017. 7)

15. Asahara M, Hoashi T, Matano Y, Shirakawa N, Funasaka Y, Takayama Y, Saeki H: Chronic tophaceous gout with multiple large tophi. *J Dermatol* 44 (7): 852-3, 2017. (2017. 7)

16. Kinoshita Y, Hoashi T, Okazaki S, Kataoka K, Nako T, Mayumi N, Kouno K, Funasaka Y, Ansai S, Saeki H: An atypical case of Merkel cell carcinoma difficult to diagnose clinically. *J Dermatol* 44 (7): e158-9, 2017. (2017. 7)

17. Shimizu A, Funasaka Y, Ueno T, Kanzaki A, Saeki H: A case of lupus miliaris disseminatus faciei associated with marked formation of cysts, successfully treated with intralesional injections of triamcinolone acetonide. *J Dermatol* 44 (7): e164-5, 2017. (2017. 7)

18. Misago N, Ansai S, Fukumoto T, Anan T, Nakao T: Keratoacanthoma en plaque/nodule: A brief report of the clinicopathological features of five cases. *J Dermatol* 44 (7): 803-5, 2017. (2017. 7)

19. Kikuchi S, Yanaba S, Nobeyama Y, Yabe S, Kiso M, Saeki H, Tada Y, Nakagawa H, Okochi H: Suppressive effects of mesenchymal stem cells in adipose tissue on allergic contact dermatitis. *Ann Dermatol* 29 (4): 391-9, 2017. (2017. 8)

20. Oyama S, Funasaka Y, Tsuchiya S, Kawana S, Saeki H: Increased number of mast cells in the dermis in actinic keratosis lesions effectively treated with imiquimod. *J Dermatol* 44 (8): 944-9, 2017. (2017. 8)

21. Saeki H, Kabashima K, Tokura Y, Murata Y, Shiraishi A, Tamamura R, Randazzo B, Ota T, Imanaka K: Efficacy and safety of ustekinumab in Japanese patients with severe atopic dermatitis: A randomised, double-blind, placebo-controlled, phase II study. *Br J Dermatol* 177 (2): 419-27, 2017. (2017. 8)

22. Mizuno M, Hoashi T, Hisano S, Ichiyama S, Funasaka Y, Saeki H: A case of external dental fistula related to a fixed cantilever bridge. *J Nippon Med Sch* 84 (4): 198-200, 2017. (2017. 8)

23. Tanaka M, Hoashi T, Serizawa N, Okabe K, Ichiyama S, Shinohara R, Funasaka Y, Saeki H: Multiple unilaterally localized dermatofibromas in a patient with Down syndrome. *J Dermatol* 44 (9): 1074-6, 2017. (2017. 9)

24. Hoashi T, Hirabayashi M, Nakajima R, Takahashi N, Saeki H: Paradoxical antitumor effects of pazopanib in an angiosarcoma patient. *J Dermatol* 44 (9): 1078-9, 2017. (2017. 9)
25. Misago N, Ansai S, Fukumoto T, Anan T, Kimura T, Nakao T: Chronological changes in trichofolliculoma: Folliculosebaceous cystic hamartoma is not a very-late stage trichofolliculoma. *J Dermatol* 44 (9): 1050-4, 2017. (2017. 9)
26. Ichiyama S, Kubo A, Matayoshi T, Saeki H, Funasaka Y: Effects of glycolic acid peeling on the cutaneous manifestation of generalized acanthosis nigricans caused by *FGFR3* mutation: A report of two familial and one sporadic cases. *J Dermatol* 44 (10): e250-1, 2017. (2017. 10)
27. Li M, Higashi N, Nakano H, Saeki H: An ATP2A2 missense mutation in a Japanese family with Darier disease: a case report and review of the Japanese Darier disease patients with ATP2A2 mutations. *J Nippon Med Sch* 84 (5): 246-50, 2017. (2017. 10)
28. Ansai S, Anan T, Fukumoto T, Saeki H. Tubulopapillary cystic adenoma with apocrine differentiation: A unifying concept for syringocystadenoma papilliferum, apocrine gland cyst, and tubular papillary adenoma. *Am J Dermatopathol* 39 (11): 829-37, 2017. (2017. 11).
29. Kanzaki A, Ansai S, Ueno T, Kawana S, Shimizu A, Naito Z, Saeki H: A case of metastatic basal cell carcinoma treated with cisplatin and adriamycin. *J Nippon Med Sch* 84 (6): 286-90, 2017. (2017. 12)
30. Okabe K, Hoashi T, Asahara M, Esaki E, Ito M, Otsuka R, Funasaka Y, Saeki H: A case of giant cell tumor of tendon sheath in the middle phalanx of the fourth toe. *J Nippon Med Sch* 84 (6): 308-10, 2017. (2017. 12)
31. Ueno T, Nomoto T, Takayama R, Osada S, Saeki H: Arteriovenous malformation manifested after subclavian central venous catheterization. *J Dermatol* 45 (1): e13-4, 2018. (2018. 1)
32. Hoashi T, Fujita K, Funasaka Y, Gemma A, Saeki H: A case of cutaneous metastatic lung cancer difficult to distinguish from malignant nodular hidradenoma. *Australas J Dermatol* 59 (1): e80-1, 2018. (2018. 2)
33. Shimizu A, Hoashi T, Serizawa N, Kataoka K, Shirakawa N, Mayumi N, Funasaka Y, Saeki H: Two cases of verrucous carcinomas: revisiting the definition. *J Nippon Med Sch* 85 (1): 47-50, 2018. (2018. 2)
34. Hirata J, Hirota T, Ozeki T, Kanai M, Sudo T, Tanaka T, Hizawa N, Nakagawa H, Sato S, Mushiroda T, Saeki H, Tamari M, Okada Y: Variants at HLA-A, HLA-C, and HLA-DQB1 confer risk of psoriasis vulgaris in Japanese. *J Invest Dermatol* 138 (3): 542-8, 2018. (2018. 3)

2018 年度英語論文 (2018. 4~2019. 3) 25 編

1. Ichiyama S, Hoashi T, Funasaka Y, Mikami E, Akiyama M, Esaki E, Kubo M, Ansai S, Tanaka M, Saeki H: Pigmented poroma on the temporal region dermoscopically mimicking basal cell carcinoma: A report of two cases. *J Dermatol* 45 (4): e94-5, 2018. (2018. 4)
2. Isaka Y, Matsuda H, Ogita A, Saeki H, Tanaka M, Ansai S: A case of warty dyskeratoma on the anterior chest: the relationship between its dermoscopic and histopathological findings. *J Dermatol* 45 (6): e171-2, 2018. (2018. 6)
3. Hoashi T, Asahara M, Shirakawa N, Mayumi N, Nakayama K, Omori I, Inokuchi K, Sugaya M, Funasaka Y, Saeki H: Case of primary cutaneous anaplastic large cell lymphoma misdiagnosed as squamous cell carcinoma by pseudocarcinomatous hyperplasia. *J Dermatol* 45 (6): e163-4, 2018. (2018. 6)
4. Ichiyama S, Ito M, Funasaka Y, Abe M, Nishida E, Muramatsu S, Nishihara H, Kato H, Morita A, Imafuku S, Saeki H: Assessment of medication adherence and treatment satisfaction in Japanese patients with psoriasis of various severities. *J Dermatol* 45 (6): 727-31, 2018. (2018. 6)
5. Kawasaki Y, Uehara T, Kawana S: Cutaneous vasculitis in Cogan's syndrome: A report of two cases associated with chlamydia infection. *J Nippon Med Sch* 85 (3): 172-7, 2018. (2018. 6)
6. Akiyama M, Matsuda Y, Arai T, Saeki H: Clinicopathological Characteristics of Malignant Melanomas of the Gastrointestinal tract and Skin. *Oncol Lett* 16: 2675-81, 2018. (2018. 7).
7. Kawasaki Y, Ansai S, Fujimoto K, Saeki H, Seiji Kawana S: A case of infundibulocystic basal cell carcinoma clinically mimicking a melanocytic nevus associated with epidermal cysts. *J Nippon Med Sch* 85 (4): 228-30, 2018. (2018. 8)
8. Tosa M, Ansai S, Ogawa R. Two cases of granular cell tumor that clinically mimicked hypertrophic scars and keloids. *J Nippon Med Sch* 85 (5): 279-82, 2018. (2018. 10)
9. Tosa M, Kuwahara H, Ogawa R, Ansai S. Two cases of sclerotic fibroma of the skin clinically mimicking keloid. *J Nippon Med Sch* 85 (5): 283-6, 2018. (2018. 10)
10. Namiki T, Miura K, Yokozeki H, Ansai S. Bowen's disease with sebaceous differentiation: a case report and immunohistochemical analysis of adipophilin and cytokeratin 1. *Am J Dermatopathol* 40 (11): 841-5, 2018. (2018. 11)
11. Otsuka Y, Watanabe E, Shinya E, Saeki H, Geijtenbeek T, Takahashi H: Differentiation of Langerhans cells from monocytes and their specific function in inducing IL-22-specific T

helper cells. *J Immunol* 201 (10): 3006-16, 2018. (2018. 11)

12. Ichiyama S, Matano Y, Hoashi T, Kanda N, Nagayama H, Saeki H: Severe myalgia associated with brodalumab treatment in a patient with psoriasis. *J Dermatol* 45 (12): e327-8, 2018.

13. Ueno T, Yokoi K, Takayama R, Osada S, Saeki H: Epidermoid cyst arising on the body of the tongue: Case report and literature review. *J Nippon Med Sch* 85 (6): 343-6, 2018. (2018. 12).

14. Ito K, Ansai S, Ogita A, Matsuda H, Saeki H: A case with unique dermoscopic findings: Collision of apocrine gland cyst and trichoblastoma. *J Nippon Med Sch* 85 (6): 334-6, 2018. (2018. 12).

15. Li M, Higashi N, Nakano H, Saeki H: Incontinentia pigmenti in a Japanese female infant with a novel frameshift mutation in the *IKBKG* gene. *J Dermatol* 46 (1): e26-8, 2019 (2019. 1)

16. Kinoshita Y, Kohno T, Ansai S, Saeki H: An aggressive case of granulomatous eosinophilic pustular folliculitis on the face. *JAAD Case Reports* 5: 237-9, 2019 (2019. 2).

17. Sugano T, Seike M, Funasaka Y, Yoshida M, Takayama R, Okamura K, Nakanishi A, Tanaka T, Takeuchi S, Noro R, Minegishi Y, Kubota K, Saeki H, Gemma A: Intralymphatic histiocytosis in a patient with lung adenocarcinoma treated with pembrolizumab: a case report. *J Immunother Cancer* 7 (1): 59, 2019. (2019. 2)

18. Tanaka M, Hoashi T, Ichiyama S, Noro R, Seike M, Kubota K, Gemma A, Funasaka Y, Saeki H: Eczematous reactions mimicking psoriasiform dermatitis induced by nivolumab for advanced lung cancer. *Austra J Dermatol* 60 (1): e67-8, 2019. (2019. 2)

19. Arakawa H, Tanese K, Miura K, Ebata S, Yamada D, Masui Y, Tanaka M, Saida T, Ansai S: Poromas with large lumens histopathologically mimicking syringocystadenoma papilliferum: Report of three cases. *Austra J Dermatol* 2019 60 (1): e51-5, 2019. (2019. 2)

20. Masaki T, Tsujimoto M, Kitazawa R, Nakano E, Funasaka Y, Ichihashi M, Kitazawa S, Kakita A, Kanda F, Nishigori C: Autopsy findings and clinical features of a mild-type xeroderma pigmentosum complementation group A siblings: 40 years of follow-up. *JAAD Case Reports* 5 (3): 205-8, 2019.

21. Ito K, Ansai S, Saeki H: Immunohistochemical study of non-epithelial cells in spiradenoma. J Nippon Med Sch 86 (1): 15-21, 2019. (2019. 2)
22. Yamaguchi H, Funasaka Y, Saeki H: Effect of frequency doubled Q-switched Nd:YAG laser on hairless mice harboring eumelanin and pheomelanin in the epidermis. J Nippon Med Sch 86 (1): 27-31, 2019. (2019. 2)
23. Osada S, Kawana S, Saeki H: Non-asthmatic and HCV-seropositive eosinophilic granulomatosis with polyangiitis complicated by multiple intracerebral haemorrhages: a case study. Eur J Dermatol 29(1): 85-87, 2019. (2019. 2)
24. Ito M, Hoashi T, Endo Y, Kimura G, Kondo Y, Funasaka Y, Saeki H: Atypical pemphigus developed in a patient with urothelial carcinoma treated with nivolumab. J Dermatol 46 (3): e90-2, 2019. (2019. 3)
25. Umezawa Y, Itakura H, Morisaki Y, Elmaraghy H, Nakajo K, Saeki H: Long-term efficacy and safety results from an open-label phase 3 study (UNCOVER-J) in Japanese plaque psoriasis patients: impact of treatment withdrawal and retreatment of ixekizumab. J Eur Acad Dermatol Venereol 33 (3): 568-76, 2019. (2019. 3)

2019 年度英語論文 (2019. 4~2020. 3) 27 編

1. Katoh N, Saeki H, Kataoka Y, Etoh T, Teramukai S, Takagi H, Tajima Y, Ardeleanu M, Rizova E, Arima K: The Atopic Dermatitis Disease Registry in Japanese Adult Patients with Moderate-to-Severe Atopic Dermatitis (ADDRESS-J): Baseline Characteristics, Treatment History, and Disease Burden. J Dermatol 46 (4): 290-300, 2019. (2019. 4)
2. Osada S, Fujiwara Y, Higashi N, Nakayama K, Hosone M, Inokuchi K, Saeki H: Primary cutaneous diffuse large B-cell lymphoma, leg type, localized in the right periorbital region. J Dermatol 46 (4): e130-2, 2019. (2019. 4)
3. Ansai S, Morimoto M, Akaishi S: Pseudomyogenic hemangioendothelioma. J Nippon Med Sch 86 (2): 126-30, 2019. (2019. 4)
4. Fujisawa Y, Yoshikawa S, Minagawa A, Takenouchi T, Yokota K, Uchi H, Noma N, Nakamura Y, Asai J, Kato J, Fujiwara S, Fukushima S, Uehara J, Hoashi T, Kaji T, Fujimura T, Namikawa K, Yoshioka M, Murao N, Ogata D, Matsuyama K, Hatta N, Shibayama Y,

Fujiyama T, Ishikawa M, Yamada D, Kishi A, Nakamura Y, Shimiauchi T, Fujii K, Fujimoto M, Ihn H, Katoh N: Clinical and histopathological characteristics and survival analysis of 4594 Japanese patients with melanoma. *Cancer Med* 8(5):2146-2156, 2019. (2019. 5)

5. Fujisawa Y, Yoshikawa S, Minagawa A, Takenouchi T, Yokota K, Uchi H, Noma N, Nakamura Y, Asai J, Kato J, Fujiwara S, Fukushima S, Uehara J, Hoashi T, Kaji T, Fujimura T, Namikawa K, Yoshioka M, Murata N, Ogata D, Matsuyama K, Hatta N, Shibayama Y, Fujiyama T, Ishikawa M, Yamada D, Kishi A, Nakamura Y, Shimiauchi T, Fujii K, Fujimoto M, Ihn H, Katoh N: Classification of 3097 patients from the Japanese melanoma study database using the American joint committee on cancer eighth edition cancer staging system. *J Dermatol Sci* 94 (2): 284-9, 2019. (2019. 5)

6. Mikami E, Kudo M, Ohashi R, Kawahara K, Kawamoto Y, Teduka K, Fujii T, Kitamura T, Kure S, Ishino K, Sakatani T, Wada R, Saeki H, Naito Z: Toll-like receptor 4 mediates the suppressive effect on the tumor behavior in cutaneous squamous cell carcinoma. *Int J Oncol* 54 (6): 2179-88, 2019. (2019. 6)

7. Ito M, Morita T, Okazaki S, Koto M, Ichikawa Y, Takayama R, Hoashi T, Saeki H, Kanda N: Dietary habits in adult Japanese patients with atopic dermatitis. *J Dermatol* 46 (6): 515-21, 2019. (2019. 6)

8. Ichiyama S, Komatsu T, Hoashi T, Kanda N, Nagai K, Yamada Y, Saeki H: Treatment with apremilast was beneficial for chronic graft-versus-host disease skin lesion in a patient with psoriasis. *J Dermatol* 46 (6): e218-9, 2019. (2019. 6)

9. Ichiyama S, Hoashi T, Kanda N, Hashimoto H, Matsushita M, Nozawa K, Ueno T, Saeki H: Psoriasis vulgaris associated with systemic lupus erythematosus successfully treated with apremilast. *J Dermatol* 46 (6): e219-21, 2019. (2019. 6)

10. Kanda N, Okajima F: Atopic dermatitis-like rash during evolocumab treatment of familial hypercholesterolemia. *J Nippon Med Sch* 86 (3): 187-90, 2019. (2019. 6)

11. Ozaki S, Higo S, Iwata K, Saeki H, Ozawa H. Region-specific changes in brain kisspeptin receptor expression during estrogen depletion and the estrous cycle. *Histochem Cell Biol* 152 (1): 25-34, 2019. (2019. 7)

12. Saeki H, Kawashima M, Sugaya S, Oshiden K, Tsubouchi H: Efficacy and safety of OPA-15406, a new phosphodiesterase 4 inhibitor, in Japanese patients with atopic dermatitis for 8

weeks: a phase 2, randomized, double-blind, placebo-controlled study. *J Dermatol* 46 (8): 672-9, 2019. (2019. 8)

13. Hayashi M, Yaguchi Y, Okamura K, Hemmi A, Abe Y, Takahashi H, Kato T, Ansai S, Yamakawa M, Suzuki T. Primary cutaneous adenoid cystic carcinoma connecting to the epidermis. *Am J Dermatopathol* 41:619-21, 2019. (2019. 8)

14. Yoshida Y, Hashimoto K, Saeki H, Itagaki F, Hirama A, Suzuki A, Iiyama K, Fukunaga Y, Enomoto H, Kushima E, Kishida M, Fujimoto S, Tsuruoka S: Efficacy of a moisturizer for pruritus accompanied with asteatosis in dialysis patients: An open-label, randomized, exploratory study. *Kidney Med* 1 (4): 191-9, 2019. (2019. 8)

15. Kanda N, Koto M, Hoashi T, Saeki H: Case of alopecia areata during dupilumab treatment for atopic dermatitis. *J Dermatol* 46 (9): e332-3, 2019. (2019. 9)

16. Yamashita H, Morita T, Ito M, Okazaki S, Koto M, Ichikawa Y, Takayama R, Hoashi T, Saeki H, Kanda N: Dietary habits in Japanese patients with psoriasis and psoriatic arthritis: low intake of meat in psoriasis and high intake of vitamin A in psoriatic arthritis. *J Dermatol* 46 (9): 759-69, 2019. (2019. 9)

17. Kanda N, Hoashi T, Saeki H: The roles of sex hormones in the course of atopic dermatitis. *Int J Mol Sci* 20 (19): E4660, 2019. (2019. 9)

18. Katoh N, Ohya Y, Ikeda M, Ebihara T, Katayama I, Saeki H, Shimojo N, Tanaka A, Nakahara T, Nagao M, Hide M, Fujita Y, Fujisawa T, Futamura M, Masuda K, Murota H, Yamamoto-Hanada K: Clinical Practice Guidelines for the Management of Atopic Dermatitis 2018. *J Dermatol* 46 (12): 1053-101, 2019. (2019. 12)

19. Ichikawa Y, Nakano H, Ansai S, Hoashi T, Saeki H, Kanda N: A case of Hailey-Hailey disease with a novel missense/in-frame deletion mutation in *ATP2C1* successfully treated with cyclosporine. *J Dermatol* 46 (12): e482-3, 2019. (2019. 12)

20. Nakagawa H, Nemoto O, Igarashi A, Saeki H, Oda M, Kabashima K, Nagata T. Phase 2 clinical study of delgocitinib ointment in pediatric patients with atopic dermatitis. *J Allergy Clin Immunol* 144 (6): 1575-83, 2019. (2019. 12).

21. Ogawa R, Akita S, Akaishi S, Aramaki-Hattori N, Dohi T, Hayashi T, Kishi K, Kono T, Matsumura H, Muneuchi G, Murao N, Nagao M, Okabe K, Shimizu F, Tosa M, Tosa Y,

Yamawaki S, Ansai S, Inazu N, Kamo T, Kazki R, Kuribayashi S. Diagnosis and treatment of keloids and hypertrophic scars - Japan scar workshop consensus document 2018. *Burns Trauma* 27:39, 2019. (2019. 12)

22. Saeki H, Tsubouchi H, Oshiden K, Abe Y, Baba N: A phase 2, randomized, double-blind, placebo-controlled, 4-week study to evaluate the safety and efficacy of OPA-15406 (difamilast), a new topical selective phosphodiesterase type-4 inhibitor, in Japanese pediatric patients aged 2 to 14 years with atopic dermatitis. *J Dermatol* 47 (1): 17-24, 2020. (2020. 1).

23. Nakagawa H, Nemoto O, Igarashi A, Saeki H, Murata R, Kaino H, Nagata T: Long-term safety and efficacy of delgocitinib ointment, a topical Janus kinase inhibitor, in adult patients with atopic dermatitis. *J Dermatol* 47 (2): 114-20, 2019. (2020. 2)

24. Kanda N, Nakadaira N, Otsuka Y, Hoashi T, Saeki H: Linear IgA bullous dermatosis associated with ulcerative colitis: a case report and literature review. *Australas J Dermatol* 61(1): e82-6, 2020. (2020. 2)

25. Saeki H, Terui T, Morita A, Sano S, Imafuku S, Asahina A, Komine M, Etoh T, Igarashi A, Torii H, Abe M, Nakagawa H, Watanabe A, Yotsuyanagi H, Ohtsuki M: Japanese guidance for use of biologics for psoriasis (the 2019 version). *J Dermatol* 47(3): 201-22, 2020. (2020. 3)

26. Kikuchi S, Nobeyama Y, Saeki H, Asahina A: Characteristics of cutaneous adverse drug reactions caused by triple-combination drug therapy used for *Helicobacter pylori* eradication. *J Dermatol* 47(3): 277-82, 2020. (2020. 3)

27. Akiyama M, Matsuda Y, Arai T, Saeki H: PD-L1 expression in malignant melanomas of the skin and gastrointestinal tract. *Oncol Lett* 19 (3): 2481-8, 2020. (2020. 3)

2020 年度英語論文 (2020. 4~2021. 3) 26 編

1. Nakagawa H, Nemoto O, Igarashi A, Saeki H, Kaino H, Nagata T. Delgocitinib ointment, a topical Janus kinase inhibitor, in adult patients with moderate to severe atopic dermatitis: A phase 3, randomized, double-blind, vehicle-controlled study and an open-label, long-term extension study. *J Am Acad Dermatol* 82 (4): 823-31, 2020. (2020. 4)

2. Ito M, Hirota T, Momose M, Ito T, Umezawa Y, Fukuchi O, Asahina A, Nakagawa H, Tamari M, Saeki H: Lack of association of *TNFA*, *TNFRSF1B*, and *TNFAIP3* gene polymorphisms with

response to anti-TNF therapy in Japanese patients with psoriasis. *J Dermatol* 47 (4): e110-1, 2020. (2020. 4)

3. Umeda Y, Ito K, Ansai S, Hoashi T, Saeki H, Kanda N: A case of lupus erythematosus tumidus with pseudolymphomatous infiltrates. *J Nippon Med Sch* 87 (2): 100-3, 2020. (2020. 4)

4. Kobayashi K, Yokoyama T, Masuda Y, Hashimoto I, Ansai S: Trichoblastic infundibular cyst should be renamed infundibular cyst with unique papillary projections. *J Cutan Pahtol* 47 (5): 481-4, 2020.

5. Sato T, Noto M, Ansai S, Ishikawa N, Manabe M, Osada SI: Case of spiradenocylindroma expressed hair follicle stem cell markers. *J Dermatol* 47 (6): e246-8, 2020. (2020. 6)

6. Katoh N, Kataoka Y, Saeki H, Hide M, Kabashima K, Etoh T, Igarashi A, Imafuku S, Kawashima M, Ohtsuki M, Fujita H, Arima K, Takagi H, Chen Z, Shumel B, Ardeleanu M: Efficacy and safety of dupilumab in Japanese adults with moderate-to-severe atopic dermatitis: a subanalysis of three clinical trials. *Br J Dermatol* 183 (7): 39-51, 2020. (2020. 7)

7. Katoh N, Ohya Y, Ikeda M, Ebihara T, Katayama I, Saeki H, Shimojo N, Tanaka A, Nakahara T, Nagao M, Hide M, Fujita Y, Fujisawa T, Futamura M, Masuda K, Murota H, Yamamoto-Hanada K: Japanese guidelines for atopic dermatitis 2020. *Allergol Int* 69 (3): 356-69, 2020. (2020. 7)

8. Kanda N, Hoashi T, Saeki H: Nutrition and psoriasis. *Int J Mol Sci* 21 (15): 5405, 2020. (2020. 7)

9. Matano Y, Morita T, Ito M, Okazaki S, Koto M, Ichikawa Y, Takayama R, Hoashi T, Saeki H, Kanda N: Dietary habits in Japanese patients with chronic spontaneous urticaria. *Australas J Dermatol* 61(3): e333-8, 2020. (2020. 8)

10. Noguchi N, Sato T, Adachi H, Nagai T, Tomura Y, Toyoshima A, Takahashi T, Manabe M, Osada SI. Infant case of generalized pustular psoriasis preceded by interstitial lung disease. *J Dermatol* 47 (9): e322-4. 2020. (2020. 9)

11. Nakahara T, Izuhara K, Onozuka D, Nunomura S, Tamagawa-Mineoka R, Masuda K, Ichiyama S, Saeki H, Kabata Y, Abe R, Ohtsuki M, Kamiya K, Okano T, Miyagaki T, Ishiujii Y,7 Asahina A, Kawasaki H, Tanese K, Mitsui H, Kawamura T, Takeichi T, Akiyama M,

Nishida E, Morita A, Tonomura K, Nakagawa Y, Sugawara K, Tateishi C, Kataoka Y, Fujimoto R, Kaneko S, Morita E, Tanaka A, Hide M, Aoki N, Sano S, Matsuda-Hirose H, Hatano Y, Takenaka M, Murota H, Katoh N, Furue M: Exploration of biomarkers to predict clinical improvement of atopic dermatitis in patients treated with dupilumab. *Medicine* 99 (38): e22043, 2020. (2020. 9)

12. Adachi T, Kainuma K, Asano K, Amagai M, Arai H, Ishii KJ, Ito K, Uchio E, Ebisawa M, Okano M, Kabashima K, Kondo K, Konno S, Saeki H, Sonobe M, Nagao M, Hizawa N, Fukushima A, Fujieda S, Matsumoto K, Morita H, Yamamoto K, Yoshimoto A, Tamari M: Strategic Outlook toward 2030: Japan's research for allergy and immunology - Secondary publication. *Allergol Int* 69 (4): 561-70, 2020. (2020. 10)

13. Saito T, Okamura K, Funasaka Y, Abe Y, Suzuki T: Identification of two novel mutations in a Japanese patient with Hermansky-Pudlak syndrome type 5. *J Dermatol* 47: e392-3, 2020. (2020. 11)

14. Ogita A, Ansai S: Infantile Myofibroma: case report and review of the literature. *J Nippon Med Sch* 87 (6): 355-8, 2020. (2020. 12)

15. Serizawa N, Hoashi T, Saeki, H, Kanda N: A case of autoimmune hepatitis during treatment with brodalumab for psoriasis. *J Nippon Med Sch* 87 (6): 359-61, 2020. (2020. 12)

16. Momose M, Hirota T, Kikuchi S, Inoue N, Umezawa Y, Nakagawa H, Saeki H, Tamari M, Asahina A: Associations of TNFAIP3 variants with susceptibility to psoriasis vulgaris and psoriasis arthritis in a Japanese population. *J Dermatol Sci* 100 (3): 220-2, 2020. (2020. 12)

17. Hagino T, Koto M, Aasai S, Hoashi T, Saeki H, Kanda N: A case of subcorneal pustular dermatosis during calfilzomib treatment for IgG k multiple myeloma. *J Dermatol* 48 (1): e37-8, 2021. (2021. 1)

18. Usui K, Yamada K, Okada K, Ouchi R, Nibuya M, Takahashi A, Shito Y, Watanabe Y, Saeki H, Suzuki E: Changes in ratio of ineligible use of lamotrigine in Japan based on data from the relief system of the Pharmaceuticals and Medical Devices Agency. *Psychiatry Clin Neurosci* 75 (1): 27-8, 2021. (2021. 1)

19. Nishida M, Nakai K, Kusutani N, Sowa-Osako J, Sugawara K, Motomura H, Ohsawa M, Kimura T, Ansai S, Tsuruta D: Subcutaneous encapsulated nodules arising within a congenital melanocytic nevus. *Am J Dermatopathol* 43 (1): 82-3, 2021. (2021. 1)

20. Saeki H: Preface to Journal of Dermatology special issue: Atopic dermatitis. J Dermatol 48 (2): 129, 2021. (2021. 2)

21. Ichiyama S, Ito M, Hoashi T, Kanda N, Natsuno T, Saeki H: Severe atopic dermatitis effectively treated with dupilumab changed from interleukin-5 inhibitors for concomitant severe bronchial asthma. J Dermatol 48 (2): e76-7, 2021. (2021. 2)

22. Serizawa N, Okazaki S, Otsuka Y, Koto M, Okabe K, Hoashi T, Saeki H, Okubo Y, Mitsui H, Kanda N: Dietary habits in Japanese patients with palmoplantar pustulosis. J Dermatol 48 (3): 366-75, 2021. (2021. 3)

23. Kanda N: Psoriasis: Pathogenesis, Comorbidities, and Therapy Updated. Int J Mol Sci 22: 2979, 2021. (2021. 3)

24. Wollenberg A, Blauvelt A, Guttman-Yassky E, Worm M, Lynde C, Lacour JP, Spelman L, Katoh N, Saeki H, Poulin Y, Lesiak A, Kircik L, Cho SH, Herranz P, Cork MJ, Peris K, Abildgaard Steffensen L, Bang B, Kuznetsova A, Nedergaard Jensen T, Østerdal ML, Simpson E: Tralokinumab for moderate-to-severe atopic dermatitis: results from two 52-week, randomised, double-blinded, placebo-controlled, Phase 3 trials (ECZTRA 1 and ECZTRA 2). Br J Dermatol 184: 437-49, 2021. (2021. 3)

25. Nishimoto A, Kuwahara H, Ohashi R, Ansai S. Multicentric endocrine mucin-producing sweat gland carcinoma and mucinous carcinoma of the skin: a case report. J Cutan Pathol 48: 165-70, 2021. (2021. 3)

26. Araki Y, Okamura K, Saito T, Matsumoto K, Natsuga K, Nishimoto J, Funasaka Y, Togawa Y, Suzuki T: Five novel mutations in SASH1 contribute to lentiginous phenotypes in Japanese families. Pigment Cell Melanoma Res 34: 174-8, 2021. (2021. 3)

英語論文 (2021. 4~2022. 3) 33 編

1. Yamada K, Noto M, Yamakawa T, Manabe M, Osada SI. Superimposed effects of adalimumab and linagliptin on the development of bullous pemphigoid in a psoriatic patient: a case report. Indian J Dermatol 66 (2): 208-10, 2021. (2021. 3-4)

2. Fukuyasu A, Kamata M, Hau CS, Nagata M, Fukaya S, Hayashi K, Tanaka T, Ishikawa T,

Ohnishi T, Tada Y, Kanda N: Serum interleukin-10 level increases in patients with severe signs or symptoms of herpes zoster and predicts the duration of neuralgia. *J Dermatol* 48 (4): 511-8, 2021. (2021. 4)

3. Shojiguchi N, Arai E, Anan T, Ansai S, Tsuchida T, Yasuda M: Distribution of CD1a-positive cells is not different between pseudolymphomatous folliculitis and primary cutaneous marginal zone lymphoma. *J Dermatol* 48 (4): 464-9. (2021. 4)

4. Osada SI, Sato T: Drug-induced hypersensitivity syndrome/drug reaction with eosinophilia and systemic symptoms caused by lenalidomide: Case report and review of the literature. *Acta Derm Venereol* 101(5): adv00468, 2021. (2021. 5)

5. Kanda N, Hoashi T, Saeki H: Nutrition and atopic dermatitis. *J Nippon Med Sch* 88 (3): 171-7, 2021. (2021. 6)

6. Fujimoto K, Yamaguchi H, Otsuka Y, Mayumi N, Saeki H: Contact dermatitis caused by efinaconazole and luliconazole. *J Nippon Med Sch* 88 (3): 253-7, 2021. (2021. 6)

7. Ansai S, Umebayashi Y, Katsuimata N, Kato H, Kadono T, Takai T, Namiki T, Nakagawa M, Soejima T, Koga H, Sugaya M: Japanese Dermatological Association Guidelines: Outlines of Guidelines for Cutaneous Squamous Cell Carcinoma 2020. *J Dermatol* 48 (7): e288-311, 2021 (2021. 7)

8. Thomas KS, Apfelbacher CA, Chalmers JR, Simpson E, Spuls PI, Gerbens LAA, Williams HC, Schmitt J, Gabes M, Howells L, Stuart BL, Grinich E, Pawlitschek T, Burton T, Howie L, Gadkari A, Eckert L, Ebata T, Boers M, Saeki H, Nakahara T, Katoh N: Recommended core outcome instruments for health-related quality of life, long-term control and itch intensity in atopic eczema trials: results of the HOME VII consensus meeting. *Br J Dermatol* 185 (1): 139-146, 2021. (2021. 7)

9. Kanda N, Hoashi T, Saeki H: The defect in regulatory T cells in psoriasis and therapeutic approaches. *J Clin Med* 10: 3880, 2021. (2021. 8)

10. Takada A, Tosa M, Ansai SI, Ishiguro A, Ogawa R: A case of scapular hidradenoma treated as a keloid. *Plast Reconstr Surg Glob Open* 9 (8): e3772, 2021. (2021. 8)

11. Eshiba S, Namiki T, Mohri Y, Aida T, Serizawa N, Shibata T, Morinaga H, Nanba D, Hiraoka Y, Tanaka K, Miura K, Tanaka M, Uhara H, Yokozeki H, Saida T, Nishimura EK:

Stem cell spreading dynamics intrinsically differentiate acral melanomas from nevi. *Cell Rep* 36 (5): 109492, 2021. (2021. 8)

12. Yoshida Y, Hirama A, Hashimoto K, Sato T, Yokota N, Saeki H, Kishida M, Nakamura H, Kanakubo A, Tsuruoka S: Efficacy of a moisturizer for pruritus accompanied by xerosis in patients undergoing dialysis: A multicenter, open-label, randomized verification study. *J Dermatol* 48 (9): 1327-35, 2021. (2021. 9)

13. Ito M, Akutsu K, Isobe M, Okazaki S, Ichiyama S, Hoashi T, Kanda N, Saeki H: Generalized pustular psoriasis complicated with idiopathic retroperitoneal fibrosis successfully treated with infliximab. *J Dermatol* 48 (9): e436-7, 2021. (2021. 9)

14. Ichiyama S, Sugiura K, Hoashi T, Kanda N, Saeki H: Generalized pustular psoriasis with deficiency of IL-36 receptor antagonist associated with sensorineural hearing impairment. *J Dermatol* 48 (9): e470-1, 2021. (2021. 9)

15. Nakagawa H, Nemoto O, Igarashi A, Saeki H, Kabashima K, Oda M, Nagata T: Delgocitinib ointment in pediatric patients with atopic dermatitis: A phase 3, randomized, double-blind, vehicle-controlled study and a subsequent open-label, long-term study. *J Am Acad Dermatol* 84 (4): 854-62, 2021. (2021. 10)

16. Hagino T, Okazaki S, Serizawa N, Morita T, Suzuki K, Ito M, Hoashi T, Saeki H, Mitsui H, Kanda N: Dietary habits in Japanese patients with alopecia areata. *Clin Cosmet Investig Dermatol* 14: 1579-91, 2021. (2021. 10)

17. Ogita A, Ansai S: What is a solitary keratoacanthoma? A benign follicular neoplasm, frequently associated with squamous cell carcinoma. *Diagnostics (Basel)* 11 (10): 1848, 2021. (2021. 10) (IF=3.71)

18. Kamei K, Saeki H, Tsuchiya T, Hirose T, Campos-Alberto E, Matsumoto F, Yoshii N, Imafuku S: Real-world treatment patterns of patients with atopic dermatitis in Japan: analysis of the JMDC Claims Database. *J Cutan Immunol Allergy* 4 (5): 109-19, 2021. (2021. 10)

19. Ichiyama S, Ito M, Hoashi T, Kanda N, Saeki H: Drug survival rate of dupilumab in Japanese patients with atopic dermatitis. *J Cutan Immunol Allergy* 4 (5): 149-50, 2021. (2021. 10)

20. Yamada M, Nakano H, Ogita A, Saeki H, Ansai SI: The second Japanese case of porphyria

cutanea tarda with a novel genetic mutation in UROD. *J Dermatol* 48 (11): 1802-3, 2021. (2021. 11)

21. Mizuno M, Horiguchi G, Teramukai S, Ichiyama S, Ito M,¹ Hoashi T,¹ Kanda N, Saeki H: Association study of transition of laboratory marker levels and transition of disease activity of atopic dermatitis patients treated with dupilumab. *Australas J Dermatol* 62 (4): e504-9, 2021. (2021. 11)

22. Yanai E, Yamanishi S, Igarashi T, Tanabe Y, Yanagihara T, Matano Y, Mayumi N, Saeki H, Hattori M, Nawashiro Y, Shimizu A, Itoh Y: A case of IgA vasculitis with necrotizing arteritis in a 13-year-old girl. *CEN Case Rep* 10 (4):608-13, 2021. (2021. 11)

23. Ito M, Ichiyama S, Hoashi T, Kanda N, Iwashita A, Kawamoto C, Saeki H: Severe psoriasis successfully treated with brodalumab after eradication of hepatitis C virus with glecaprevir and pibrentasvir: a case report. *Ann Dermatol* 33 (6): 593-4, 2021. (2021. 12)

24. Okazaki S, Hoashi T, Saeki H, Kanda N: A case of autoimmune hepatitis/primary biliary cholangitis overlap syndrome during treatment with brodalumab for generalized pustular psoriasis. *J Nippon Med Sch* 88 (6): 569-73, 2021. (2021. 12)

25. Awan BE, Noda Y, Yabuno Y, Hokazono Y, Ansai S, Ogawa R: A case of erythema elevatum diutinum (EED) exhibiting a keloid-like appearance. *Dermatol Ther (Heidelb)* 11 (6): 2235-40, 2021. (2021. 12)

26. Saeki H, Baba N, Ito K, Yokota D, Tsubouchi H: Difamilast ointment in paediatric patients with atopic dermatitis: A Phase 3 randomised vehicle-controlled trial. *Br J Dermatol* 186 (1): 40-49, 2022. (2022. 1)

27. Saeki H, Ishii K, Joshi A, Bensimon AG, Yang H, Kawaguchi I: An economic evaluation of risankizumab versus other biologic treatments of moderate to severe plaque psoriasis in Japan. *J Dermatolog Treat* 33 (1): 229-239. (2022. 1)

28. Ogita A, Ansai SI, Saeki H: Serum interleukin-18 provides a clue to the diagnosis of adult-onset Still's disease: findings from 6 Japanese patients with adult-onset Still's disease. *J Nippon Med Sch* 89 (1): 114-8, 2022. (2022. 2)

29. Hagino T, Nakano H, Saeki H, Kanda N: A case of Darier's disease with a novel missense mutation in ATP2A2 successfully treated with calcipotriol/betamethasone dipropionate two-

compound ointment. Clin Cosmet Investig Dermatol 15: 367-72, 2022. (2022. 3)

30. Saeki H, Tsunemi Y, Arai S, Ichiyama S, Katoh N, Kikuchi K, Kubo A, Terui T, Nakahara T, Futamura M, Murota H, Igarashi A: English version of guidelines for the management of asteatosis 2021 in Japan. J Dermatol 49 (3): e77-90, 2022. (2022. 3)

31. Saeki H, Ito K, Yokota D, Tsubouchi H: Difamilast ointment in adult patients with atopic dermatitis: A phase 3 randomized double-blind vehicle-controlled trial. J Am Acad Dermatol 86 (3): 607-14, 2022. (2022. 3)

32. Katoh N, Ohya Y, Murota H, Ikeda M, Hu X, Ikeda K, Liu J, Sasaki T, Chu AD, Teixeira HD, Saeki H: A Phase 3 randomized, multicenter, double-blind study to evaluate the safety of upadacitinib in combination with topical corticosteroids in adolescent and adult patients in Japan with moderate-to-severe atopic dermatitis (Rising Up Study): Interim 24-week analysis. J Am Acad Dermatol Int 6: 27-36, 2022.

33. Imafukua S, Ohata C, Okubo Y, Tobita R, Saeki H, Mabuchi T, Hashimoto Y, Murotani K, Kitabayashi H, Kanai Y: Effectiveness of brodalumab in achieving treatment satisfaction for patients with plaque psoriasis: The ProLOGUE study. J Dermatol Sci 105 (3): 176-84, 2022. (2022. 3) J Dermatol Sci 105 (3): 176-84, 2022. (2022. 3)

英語論文 (2022. 4~2023. 3) 34 編

1. Shimada K, Ansai O, Katsumi T, Deguchi T, Hayashi R, Yuki A, Nakamura M, Umezu H, Fukumoto T, Ansai S, Abe R: A case of cutaneous syncytial myoepithelioma with extensive adipocytic metaplasia: Usefulness of the EWSR1-PBX3 gene fusion analysis. J Cutan Pathol 49 (4): 412-7, 2022. (2022. 4)

2. Okazaki S, Funasaka Y, Saeki H: Enhancement of ultraviolet B-induced apoptosis and elimination of DNA damage by pre-irradiation with infrared radiation A does not depend on DNA damage repair. J Nippon Med Sch 89 (2): 184-9, 2022. (2022. 4)

3. Tomura Y, Noto M, Komatsuda E, Nitta Y, Ishikawa N, Osada S, Umebayashi Y, Kono M: Blaschkoid expansive eccrine nevus with trace hyperhidrosis confirmed by sensitivity-reduced iodine - starch test. Eur J Dermatol 32 (2): 280-281, 2022. (2022. 4)

4. Ozaki S, Ichiyama S, Ito M, Hoashi T, Kanda N, Saeki H: Real-world blood examination

screening data before initiation of biologics for psoriasis patients. *J Dermatol* 49 (5): 534-8, 2022. (2022. 5).

5. Ibuchi Y, Tamayose F, Katayama H, Saeki H, Osada SI: Varicella zoster virus reactivation after coronavirus disease 2019 vaccination in Japanese patients: A series of 14 cases. *J Dermatol* 49 (5): e151-3, 2022. (2022. 5)

6. Miyazaki S, Nakano H, Mizuno M, Ozaki S, Hoashi T, Kanda N, Saeki H: Two novel mutations in the ATP2C1 gene found in Japanese patients with Hailey-Hailey disease. *J Dermatol* 49 (6): 656-60, 2022. (2022. 6).

7. Saeki H, Imamura T, Yokota D, Tsubouchi H: Difamilast ointment in Japanese adult and pediatric patients with atopic dermatitis: A phase III, long-term, open-label study. *Dermatol Ther (Heidelb)* 12 (7): 1589-1601, 2022. (2022. 7).

8. Inoue T, Takeuchi K, Ishikawa A, Terasaki M, Arai Y, Hirano Y, Miyazaki S, Hoashi T, Mii A, Saeki H, Sakai Y, Shimizu A: A case of pathologically confirmed streptococcal infection related IgA vasculitis with associated glomerulonephritis and leukocytoclastic cutaneous vasculitis. *CEN Case Rep* 11 (3): 391-6, 2022 (2022. 8)

9. Katoh N, Saeki H, Kataoka Y, Etoh T, Teramukai S, Takagi H, Fujita H, Ardeleanu M, Rizova E, Arima K: Evaluation of standard treatments for managing adult Japanese patients with inadequately controlled moderate-to-severe atopic dermatitis: 2-year data from the ADDRESS-J Disease Registry. *J Dermatol* 49 (9): 903-911, 2022. (2022. 9)

10. Saeki H, Ohya Y, Furuta J, Arakawa H, Ichiyama S, Katsunuma T, Katoh N, Tanaka A, Tsunemi Y, Nakahara T, Nagao M, Narita M, Hide M, Fujisawa T, Futamura M, Masuda K, Matsubara T, Murota H, Yamamoto-Hanada K: Executive summary: Japanese guidelines for atopic dermatitis (ADGL) 2021. *Allergol Int* 71 (4): 448-458, 2022. (2022. 10)

11. Saeki H, Ohya Y, Furuta J, Arakawa H, Ichiyama S, Katsunuma T, Katoh N, Tanaka A, Tsunemi Y, Nakahara T, Nagao M, Narita M, Hide M, Fujisawa T, Futamura M, Masuda K, Matsubara T, Murota H, Yamamoto-Hanada K: English version of clinical practice guidelines for the management of atopic dermatitis 2021. *J Dermatol* 49 (10): e315-e375, 2022. (2022. 10)

12. Hoashi T, Kanda N, Saeki H: Molecular mechanisms and targeted therapies of advanced basal cell carcinoma. *Int J Mol Sci* 23; 11968, 2022. (2022. 10)

13. Saeki H, Kanai Y, Murotani K, Ito K, Miyagi T, Takahashi H, Tada Y, Higashiyama M, Hashimoto Y, Kitabayashi H, Imafuku S: Work productivity in real-life employed patients with plaque psoriasis: Results from the ProLOGUE study. *J Dermatol* 49 (10): 970-978, 2022. (2022. 10)
14. Matsuki Y, Uetaka Y, Yamashita H, Yokoyama M, Suyama T, Katagiri K, Ono Y, Ito K: Case of a cellular blue nevus with multiple satellite lesions showing radial blue-white lesion: Unique dermoscopy-histopathology correlation in blue nevus with satellitosis. *J Dermatol* 49 (10): e386-e388, 2022. (2022. 10)
15. Tosa M, Ansai S, Ogawa R: Secondary cutaneous ossification in keroids of the lower abdomen: A report of two cases. *J Nippon Med Sch* 89 (5): 546-549, 2022. (2022. 10)
16. Katayama H, Saeki H, Osada SI: Maculopapular drug eruption caused by apalutamide: Case report and review of the literature. *J Nippon Med Sch* 89 (5): 550-554, 2022. (2022. 10)
17. Wang Y, Kitahata H, Kosumi H, Watanabe M, Fujimura Y, Takashima S, Osada SI, Hirose T, Nishie W, Nagayama M, Shimizu H, Natsuga K: Collagen XVII deficiency alters epidermal patterning. *Lab Invest* 102 (6): 581-588, 2022. (2022. 6)
18. Blauvelt A, Langley R, Lacour J-P, Toth D, Laquer V, Beissert S, Wollenberg A, Herranz P, Pink A, Peris K, Fangel S, Gjerum L, Corriveau J, Saeki H, Warren RB, Simpson E, Reich K: Long-term efficacy and safety of tralokinumab in moderate-to-severe atopic dermatitis: interim analysis of the ECZTEND open-label extension trial. *J Am Acad Dermatol* 87(4): 815-824, 2022. (2022. 10)
19. Ishihara Y, Ogita A, Ito K, Saeki H, Ansai S: Folliculosebaceous cystic hamartoma arising in Miescher-type melanocytic nevi. *Am J Dermatopathol* 44 (11): 817-821, 2022. (2022. 11) (IF=1.1)
20. Kamiya K, Saeki H, Tokura Y, Yoshihara S, Sugai J, Ohtsuki M: Proactive versus rank-down topical corticosteroid therapy for maintenance of remission in pediatric atopic dermatitis: a randomized, open-label, active-controlled, parallel-group study (ANTICIPATE Study). *J Clin Med* 11: 6477, 2022. (2022. 11)
21. Hagino T, Saeki H, Kanda N: The efficacy and safety of upadacitinib treatment for moderate to severe atopic dermatitis in real-world practice in Japan. *J Dermatol* 49 (11): 1158-1167, 2022. (2022. 11)

22. Inoue T, Takeuchi K, Saeki H, Oda T, Shimizu A: Nephritis-associated plasmin receptor (NAPlr) in streptococcal infection associated cutaneous IgA vasculitis. *Clin Exp Nephrol* 26 (11): 1146-1147, 2022. (2022. 11)

23. Katoh N, Takita Y, Isaka Y, Nishikawa A, Torisu-Itakura H, Saeki H: Pooled safety analysis of baricitinib in adult participants with atopic dermatitis in the Japanese subpopulation from 6 randomized clinical trials. *Dermatol Ther (Heidelb)* 12 (12): 2765-2779, 2022. (2022. 12) (IF=3.6)

24. Annen S, Horiguchi G, Teramukai S, Ichiyama S, Ito M, Hoashi T, Kanda N, Saeki H: Association of transition of laboratory markers with transition of disease activity in psoriasis patients treated with biologics. *J Nippon Med Sch* 89 (6): 587-593, 2022. (2022. 12) (IF=1.0)

25. Saeki H, Akiyama M, Masatoshi Abe M, Igarashi A, Imafuku S, Ohya Y, Katoh N, Kameda H, Kabashima K, Tsunemi Y, Hide M, Ohtsuki M: English version of Japanese guidance for the use of oral Janus kinase (JAK) inhibitors in the treatments of atopic dermatitis. *J Dermatol* 50 (1): e1-e19, 2023. (2023. 1)

26. Katoh N, Ohya Y, Murota H, Ikeda M, Hu X, Ikeda K, Liu J, Sasaki T, Raymundo EM, Teixeira HD, Saeki H: Safety and efficacy of upadacitinib for atopic dermatitis in Japan: 2-year interim results from the phase 3 Rising Up Study. *Dermatol Ther (Heidelb)* 13 (1): 221-234, 2023. (2023. 1)

27. Hagino T, Saeki H, Kanda N: Biomarkers and predictive factors for treatment response to tumor necrosis factor- α inhibitors in patients with psoriasis. *J Clin Med* 12: 974, 2023. (2023. 1)

28. Saeki H, Mabuchi T, Asahina A, Abe M, Igarashi A, Imafuku S, Okubo Y, Komine M, Sano S, Torii H, Morita A, Yotsuyanagi H, Watanabe A, Ohtsuki M: English version of Japanese guidance for use of biologics for psoriasis (the 2022 version). *J Dermatol* 50 (2): e41-e68, 2023. (2023. 2)

29. Nakahara T, Izuhara K, Onozuka D, Saeki H, Nunomura S, Takenaka M, Matsumoto M, Kataoka Y, Fujimoto R, Kaneko S, Morita E, Tanaka A, Hide M, Okano T, Miyagaki T, Aoki N, Nakajima K, Ichiyama S, Kido-Nakahara M, Tonomura K, Nakagawa Y, Tamagawa-Mineoka R, Masuda K, Takeichi T, Akiyama M, Ishiuiji Y, Katsuta M, Kinoshita Y, Tateishi C, Yamamoto A, Morita A, Matsuda-Hirose H, Hatano Y, Kawasaki H, Tanese K, Ohtsuki M,

Kamiya K, Kabata Y, Abe R, Mitsui H, Kawamura T, Tsuji G, Katoh N, Furue M: Exploring biomarkers to predict clinical improvement of Atopic Dermatitis in patients treated with dupilumab (B-PAD study). *Clin Exp Allergy* 53 (2): 233-238, 2023. (2023. 2)

30. Miyazaki S, Ozaki S, Ichiyama S, Ito M, Hoashi T, Kanda N, Saeki H: Changes in antinuclear antibody titers over time during biologic treatment for psoriasis. *J Nippon Med Sch* 90 (1): 96-102, 2023. (2023. 2)

31. Hagino T, Saeki H, Fujimoto E, Kanda N: The effects of biologic therapy on laboratory and clinical indicators of cardiometabolic diseases in patients with psoriasis. *J Clin Med* 12: 1934, 2023. (2023. 3)

32. Hagino T, Saeki H, Fujimoto E, Kanda N: The eosinophil-to-lymphocyte ratio acts as an indicator for improvement of clinical signs and itch by upadacitinib treatment in atopic dermatitis. *J Clin Med* 12: 2201, 2023. (2023. 3)

33. Hosoya K, Komachi T, Masaki K, Suzaki I, Saeki H, Kanda N, Nozaki M, Kamide Y, Matsuwaki Y, Kobayashi Y, Ogino E, Osada S, Usukura N, Kurumakawa T, Ninomiya J, Asako M, Nakamoto K, Yokoi H, Oyama M, Tanese K, Kanzaki S, Fukunaga K, Ebisawa M, Okubo K: Barrier factors of adherence to dupilumab self-injection for severe allergic disease: A non-interventional open-label study. *Patient Preference Adherence* 17: 861-872, 2023. (2023. 3)

34. Yamazaki K, Maejima M, Saeki H, Osada SI: Recurrence or de novo? Intra-dermal basal cell carcinoma of the scrotum: A report of two cases. *Dermatopathology* 10: 128-135, 2023. (2023. 3)

英語論文 (2023. 4~2024. 3) 33 編

1. Beck LA, Bieber T, Weidinger S, Tauber M, Saeki H, Irvine AD, Eichenfield LF, Werfel T, Arlert P, Jiang L, Røpke M, Paller AS: Tralokinumab treatment improves the skin microbiota by increasing the microbial diversity in adults with moderate-to-severe atopic dermatitis: analysis of microbial diversity in ECZTRA 1, a randomized controlled trial. *J Am Acad Dermatol* 88 (4): 816-823, 2023. (2023. 4)

2. Honma M, Kanai Y, Murotani K, Ito K, Ohata C, Yamazaki F, Saeki H, Seishima M, Mizutani Y, Kitabayashi H, Imafuku S: Effectiveness of brodalumab in improving itching and skin pain in Japanese patients with psoriasis: The ProLOGUE study. *J Dermatol* 50 (4): 453-

461, 2023. (2023. 4)

3. Nishimoto A, Ansai SI, Akashi S, Dohi T, Ogawa R: Keloidal dermatofibroma: Clinicopathological comparison of 52 cases with a series of 2077 other dermatofibromas. *J Dermatol* 50 (4): 485-493, 2023. (2023. 4)

4. Saeki H, Ohya Y, Nawata H, Arima K, Inukai M, Rossi AB, Bego-Le-Bagousse G: Impact of the family and household environment on pediatric atopic dermatitis in Japan. *J Clin Med* 12: 2988, 2023. (2023. 4)

5. Hoashi T, Miyazaki S, Ozaki S, Ichiyama S, Ito M, Kanda N, Saeki H: Changes in serum KL-6 levels over time during biologic treatment for psoriasis. *J Nippon Med Sch* 90 (2): 194-201, 2023. (2023. 4)

6. Yamamoto H, Sakamoto H, Kumagai H, Abe T, Ishiguro S, Uchida K, Kawasaki Y, Saida Y, Sano Y, Takeuchi Y, Tajika M, Nakajima T, Banno K, Funasaka Y, Hori S, Yamaguchi T, Yoshida T, Ishikawa H, Iwama T, Okazaki Y, Saito Y, Matsuura N, Mutoh M, Tomita N, Akiyama T, Yamamoto T, Ishida H, Nakayama Y: Clinical guidelines for diagnosis and management of Peutz-Jeghers syndrome in children and adults. *Digestion* 104 (5) 335-347, 2023. (2023. 4)

7. Saeki H, Mabuchi T, Asahina A, Abe M, Igarashi A, Imafuku S, Okubo Y, Komine M, Takahashi K, Torii H, Morita A, Yotsuyanagi H, Watabane A, Ohtsuki M: English version of Japanese guidance for the use of oral Janus kinase (JAK) inhibitors (JAK1 and TYK2 inhibitors) in the treatments of psoriasis. *J Dermatol* 50 (5): e138-e150, 2023. (2023. 5)

8. Yoshizawa Y: A case of refractory acne vulgaris successfully treated with three color (blue, red, and infrared) LEDs as a substitute for isotretinoin. *MOJ Clin Med Case Rep* 13 (2): 38-41, 2023. (2023. 5)

9. Saeki H, Mabuchi T, Asahina A, Abe M, Igarashi A, Imafuku S, Okubo Y, Komine M, Takahashi K, Torii H, Morita A, Yotsuyanagi H, Watabane A, Ohtsuki M: English version of Japanese guidance for the use of oral Janus kinase (JAK) inhibitors (JAK1 and TYK2 inhibitors) in the treatments of psoriasis. *J Dermatol* 50 (5): e138-e150, 2023. (2023. 5)

10. Hagino T, Saeki H, Fujimoto E, Kanda N: The differential effects of upadacitinib treatment on skin rashes of four anatomical sites in patients with atopic dermatitis. *J Dermatolog Treat* 34 (1): 2212095. (2023. 5)

11. Yoshizawa Y: Improvements in lupus miliaris disseminates faciei after three-color (blue, red, and infrared) light-emitting diode monotherapy. *JAAD Case Reports* 36: 28-31, 2023. (2023. 6)
12. Saeki H, Fujita H, Suzuki K, Arima K: Safety and effectiveness of dupilumab in the treatment of atopic dermatitis in Japan: One-year interim analysis from a post-marketing surveillance. *J Cutan Immunol Allergy* 6 (3): 78-87, 2023. (2023. 6)
13. Hagino T, Saeki H, Fujimoto E, Kanda N: The Efficacy and safety of baricitinib treatment for moderate to severe atopic dermatitis in real-world practice in Japan. *J Dermatol* 50 (7): 869-879, 2023. (2023. 7)
14. Uozumi T, Serizawa N, Hagino T, Morita T, Hoashi T, Saeki H, Mitsui H, Kanda N: Dietary habits in Japanese patients with bullous pemphigoid: low intake of retinol. *Eur J Dermatol* 33(4): 394-403, 2023. (2023. 8)
15. Yoshida M, Funasaka Y, Saeki H, Yamamoto M, Kanda N: Dietary fiber inulin improves murine imiquimod-induced psoriasis-like dermatitis. *Int J Mol Sci* 24: 14197, 2023. (2023. 9)
16. Ohya Y, Saeki H, Nawata H, Arima K, Inukai M, Rossi AB, Bego-Le-Bagousse G: The disease burden of pediatric patients with atopic dermatitis in Japan. *Pediatr Dermatol* 40 (5): 851-856, 2023. (2023. 9)
17. Hagino T, Saeki H, Fujimoto E, Kanda N: Background factors predicting the occurrence of herpes zoster in atopic dermatitis patients treated with upadacitinib. *J Dermatol* 50 (10): 1301-1312, 2023. (2023. 10)
18. Saeki H, Akiyama M, Abe M, Igarashi A, Imafuku S, Ohya Y, Katoh N, Kameda H, Kabashima K, Tsunemi Y, Hide M, Ohtsuki M: English version of Japanese guidance for biologics in treating atopic dermatitis. *J Dermatol* 50 (10): e311-e322, 2023. (2023. 10)
19. Hagino T, Saeki H, Kanda N: Two cases of generalized pustular psoriasis successfully treated with bimekizumab. *J Dermatol* 50 (10): e357-e358, 2023. (2023. 10)
20. Hagino T, Hamada R, Yoshida M, Fujimoto E, Saeki H, Kanda N: Effectiveness and safety of upadacitinib in combination with topical corticosteroids in adolescent patients with moderate-to-severe atopic dermatitis. *Clin Cosmet Investig Dermatol* 16: 3201-3212, 2023.

(2023. 11)

21. Hagino T, Yoshida M, Hamada R, Fujimoto E, Saeki H, Kanda N: Effectiveness of switching from baricitinib 4 mg to upadacitinib 30 mg in patients with moderate-to-severe atopic dermatitis: a real-world clinical practice in Japan. *J Dermatolog Treat* 34 (1): 2276043, 2023. (2023. 12)

22. Hagino T, Yoshida M, Hamada R, Fujimoto E, Saeki H, Kanda N: Therapeutic effectiveness of upadacitinib on individual types of rash in Japanese patients with moderate-to-severe atopic dermatitis. *J Dermatol* 50 (12): 1576-1584, 2023. (2023. 12)

23. Miyazaki S, Fujita K, Ozaki S, Ichiyama S, Ito M, Hoashi T, Kanda N, Saeki H: Active tuberculosis in a patient with psoriatic arthritis receiving adalimumab despite chemoprophylaxis for latent tuberculosis infection. *J Nippon Med Sch* 90 (6): 480-485, 2023. (2023. 12)

24. Hagino T, Yoshida M, Hamada R, Saeki H, Fujimoto E, Kanda N: Early itch relief with upadacitinib predicts later skin clearance in atopic dermatitis. *J Dermatolog Treat* 35 (1): 2291317, 2024. (2024. 1)

25. Nakagawa H, Igarashi A, Saeki H, Kabashima K, Tamaki T, Kaino H, Miwa Y: Safety, efficacy, and pharmacokinetics of delgocitinib ointment in infants with atopic dermatitis: a phase 3, open-label, and long-term study. *Allegol Int* 73 (1): 137-142, 2024. (2024. 1)

26. Hagino T, Yoshida M, Hamada R, Saeki H, Fujimoto E, Kanda N: Predictive factors for responders to upadacitinib treatment in patients with atopic dermatitis. *J Dermatolog Treat* 35 (1): 2310643, 2024. (2024. 1)

27. Katoh K, Ikeda M, Ohya Y, Murota H, Hu X, Liu J, Niiyama H, Sasaki T, Raymundo EM, Saeki H: Safety and efficacy of upadacitinib for atopic dermatitis in Japan: analysis of the 3-year phase 3 Rising Up study. *Dermatol Ther (Heidelb)* 14 (1) 213-232, 2024. (2024. 1)

28. Nakahara T, Onozuka D, Nunomura S, Saeki H, Takenaka M, Matsumoto M, Kataoka Y, Fujimoto R, Kaneko S, Morita E, Tanaka A, Saito R, Okano T, Miyagaki T, Aoki N, Nakajima K, Ichiyama S, Kido-Nakahara M, MD, Tonomura K, Nakagawa Y, Tamagawa-Mineoka R, Masuda K, Takeichi T, Akiyama M, Ishiujii Y, Katsuta M, Kinoshita Y, Tateishi C, Yamamoto A, Morita A, Matsuda-Hirose H, Hatano Y, Kawasaki H, Fukushima-Nomura A, Ohtsuki M, Kamiya K, Kabata Y, Abe R, Mitsui H, Kawamura T, Tsuji G, Katoh N, Furue M, Izuhara K:

The ability of biomarkers to assess the severity of atopic dermatitis. *J Allergy Clin Immunol Global* 3 (1): 100175, 2024. (2024. 2)

29. Miyazaki C, Masuda J, Rodriguez-Rey MD, Stelmaszuk MN, Freilich J, Tsai PI, Saeki H: Real-world biologic treatment patterns and healthcare resource utilization in psoriasis patients using an insurance claims database in Japan. *J Dermatolog Treat* 35 (1): 2299598, 2024. (2024. 2)

30. Hagino T, Saeki H, Fujimoto C, Kanda N: Effectiveness and safety of deucravacitinib treatment for moderate-to-severe psoriasis in real-world clinical practice in Japan. *J Dermatolog Treat* 35 (1): 2307489, 2024. (2024. 2)

31. Morita A, Saeki H: Pediatric psoriasis: understanding pathological conditions and advancements in treatment. *J Dermatol* 51 (2): 185-195, 2024. (2024. 2)

32. Saeki H, Kataoka Y, Etoh T, Katoh N, Teramukai S, Tajima Y, Fujita H, Ardeleanu M, Arima K: Correlation Analysis of Clinician- and Patient-Reported Outcomes Among Japanese Adults with Atopic Dermatitis. *Dermatol Ther (Heidelb)* 14 (2): 533-543, 2024. (2024. 2)

33. Odawara M, Mezaki M, Yoshimura T, Takaoka A, Oda F, Saeki H, Funasaka Y: Epidermal turnover and iron metabolism in senile lentigo. *J Dermatol* 51 (3): 453-457, 2024. (2024. 3)

英語論文 (2024. 4~2025. 3) 33 編

1. Kido-Nakahara M, Onozuka D, Izuhara K, Saeki H, Nunomura S, Takenaka M, Matsumoto M, Kataoka Y, Fujimoto R, Kaneko S, Morita E, Tanaka A, Saito R, Okano T, Miyagaki T, Aoki N, Nakajima K, Ichiyama S, Tonomura K, Nakagawa Y, Tamagawa-Mineoka R, Masuda K, Takeichi T, Akiyama M, Ishiujii Y, Katsuta M, Kinoshita Y, Tateishi C, Yamamoto A, Morita A, Matsuda-Hirose H, Hatano Y, Kawasaki H, Nomura A, Ohtsuki M, Kamiya K, Kabata Y, Abe R, Mitsui H, Kawamura T, Tsuji G, Furue M, Katoh N, Nakahara T: Exploring patient background and biomarkers associated with the development of dupilumab-associated conjunctivitis and blepharitis. *Allegol Int* 73 (2): 332-334, 2024. (2024. 4)

2. Hamada R, Funasaka Y, Saeki H, Serizawa N, Hagino T, Mitsui H, Kanda N: Dietary habits in adult Japanese patients with vitiligo. *J Dermatol* 51 (4): 491-508, 2024. (2024. 4)

3. Hagino T, Hamada R, Yoshida M, Saeki H, Fujimoto E, Kanda N: Effectiveness of dose

increase in upadacitinib from 15 mg to 30 mg for patients with moderate-to-severe atopic dermatitis: a real-world clinical practice in Japan. *Clin Drug Invest* 44 (4): 261-269, 2024. (2024. 4)

4. Hagino T, Hamada R, Yoshida M, Saeki H, Fujimoto E, Kanda N: Sustained Effectiveness of upadacitinib in moderate-to-severe atopic dermatitis: A 48-week real-world study. *Pharmaceuticals (Basel)* 17: 519, 2024. (2024. 4)

5. Hoashi T, Ishikawa M, Uehara J, Oashi K, Maeda S, Kato J, Saruta H, Shichinohe R, Ohashi R, Nakamura Y, Koga H, Sugaya M: Outlines of Japanese clinical guidelines for basal cell carcinoma 2021. *J Dermatol* 51 (4): e90-e105, 2024. (2024. 4)

6. Tokuyama M, Fan P, Wang G, Choe YB, Song HJ, Tsai D, Sindhvananda J, Mabuchi T, Ozawa A, Investigative Team of the Asian Society for Psoriasis; Ota M, Saito N, Saito R, Shimizu T, Okaniwa A, Nakazono M, Takahashi N, Seishima M, Fujii K, Mizutani Y, Kawamura M, Katoh N, Arakawa Y, Sayama K, Yatsuzuka K, Kuroo Y, Yoshida S, Nishihara K, Doi C, Shiraishi K, Habu M, Ishikawa M, Iwata M, Murata M, Fukui M, Hayashi M, Saeki H, Ohtsuki M, Kishimoto M, Kamiya K, Kuwahara A, Yamanaka K, He Y, Ran L, Yang B, Park HJ, Kim BS, Jeong K, Baek YS, Shin BS, Kim JE, Youn JI, Jo SJ, Kim KJ, Park EJ, Lee ES, Jung KE: Epidemiological analysis of the patients with psoriasis in Asian countries and region using the same clinical case cards between 2020 and 2022. *J Dermatol* 51 (4): 567-583, 2024. (2024. 4)

7. Hagino T, Hamada R, Yoshida M, Fujimoto E, Saeki H, Kanda N: Total eosinophil count as a biomarker for therapeutic effects of upadacitinib in atopic dermatitis over 48 weeks. *Front Immunol* 15: 1365544, 2024. (2024. 4)

8. Hagino T, Hamada R, Yoshida M, Fujimoto E, Saeki H, Kanda N: Long-term effectiveness and safety of upadacitinib for Japanese patients with moderate-to-severe atopic dermatitis: a real-world clinical study. *J Dermatolog Treat* 35 (1): 2344591, 2024. (2024. 4)

9. Hagino T, Saeki H, Fujimoto E, Kanda N: Real-world effectiveness and safety of bimekizumab in Japanese patients with psoriasis: a single-center retrospective study. *J Dermatol* 51 (5): 649-658. (2024. 5)

10. Miyazaki S, Hoashi T, Tone Y, Park A, Otani S, Kanda N, Saeki H: Narrow histopathological margins are acceptable in surgical resection of basal cell carcinoma in Japanese: A single-center retrospective study. *J Nippon Med Sch* 91 (3): 296-306, 2024. (2024.

6)

11. Ohtsuki M, Okubo Y, Saeki H, Igarashi A, Imafuku S, Abe M, Siddharth C, Yaguchi M, Emoto A, Morita A: Safety and effectiveness of apremilast in Japanese patients with psoriatic disease: results of a post-marketing surveillance study. *J Dermatol* 51 (7): 950-963, 2024. (2024. 7)

12. Ishihara Y, Ogita A, Ito K, Saeki H, Ansai S: Clinical and histopathologic study of apocrine-type mixed tumor of the skin. *Am J Dermatopathol* 46 (8): 471-482, 2024 (2024. 8)

13. Kinoshita Y, Ogita A, Ito K, Saeki H: A retrospective study of the clinicopathological characteristics of approximately 1,600 pilomatricomas treated at a single institution. *J Nippon Med Sch* 91 (4): 391-401, 2024. (2024. 8)

14. Saeki H, Ohya Y, Baba N, Imamura T, Yokota D, Tsubouchi H: An interim report of a phase 3, long-term, open-label study to evaluate efficacy and safety of difamilast ointment in Japanese infants with atopic dermatitis. *Dermatol Ther (Heidelb)* 14 (9): 2443-2455, 2024. (2024. 9)

15. Saeki H, Kanda N: Treatment of chronic hand eczema with topical anti-inflammatory drugs other than topical corticosteroids. *Med* 5 (10): 1203-1205, 2024. (2024. 10)

16. Hamada R, Funasaka Y, Saeki H, Serizawa N, Hagino T, Mitsui H, Kanda N: Author reply to the letter regarding 'Dietary habits in adult Japanese patients with vitiligo'. *J Dermatol* 51 (10): e370-e371, 2024. (2024. 10)

17. Onda M, Hagino T, Saeki H, Fujimoto E, Kanda N: Successful treatment of psoriasis vulgaris with ixekizumab in a patient with concurrent Sjögren's syndrome presenting with dry eye and incomplete SLE. *J Cutan Immunol Allergy* 7: 13804, 2024. (2024. 10)

18. Hagino T, Onda M, Saeki H, Fujimoto E, Kanda N: Effectiveness and safety of tralokinumab treatment for moderate-to-severe atopic dermatitis in real-world clinical practice in Japan. *Eur J Dermatol* 34 (5): 525-532, 2024. (2024. 10)

19. Kido-Nakahara M, Onozuka D, Izuhara K, Saeki H, Nunomura S, Takenaka M, Matsumoto M, Kataoka Y, Fujimoto R, Kaneko S, Morita E, Tanaka A, Hide M, Okano T, Miyagaki T, Aoki N, Nakajima K, Ichiyama S, Tonomura K, Nakagawa Y, Tamagawa-Mineoka R, Masuda K, Takeichi T, Akiyama M, Ishiuchi Y, Katsuta M, Kinoshita Y, Tateishi C, Yamamoto A,

Morita A, Matsuda-Hirose H, Hatano Y, Kawasaki H, Tanese K, Ohtsuki M, Kamiya K, Kabata Y, Abe R, Mitsui H, Kawamura T, Tsuji G, Furue M, Katoh N, Nakahara T: Biomarkers and patient-related factors associated with clinical outcomes in dupilumab-treated atopic dermatitis. *J Allergy Clin Immunol Global* 3 (4): 100317, 2024. (2024. 11)

20. Miyazaki C, Masuda J, Tsai PI-C, Saeki H: Factors affecting treatment persistence in Japanese patients with psoriasis prescribed biologics: A real-world study using an insurance claim database. *Dermatol Ther (Heidelb)* 14 (11): 2999-3015, 2024. (2024. 11)

21. Higuchi K, Goto O, Sakurazawa N, Sakanushi A, Sakamoto K, Matsushita A, Hagiwara N, Matsuda A, Hoashi T, Nakagome S, Ishikawa Y, Koizumi E, Omori J, Akimoto N, Ohashi R, Saeki H, Okubo K, Yoshida H, Iwakiri K: Real-world outcomes of collaborative surgery for gastrointestinal tumors by endoscopists and surgeons: a single-center retrospective analysis of 131 patients. *Ann Gastroenterol* 37 (6): 699-707, 2024. (2024. 11)

22. Hagino T, Onda M, Saeki H, Fujimoto E, Kanda N: Effectiveness of bimekizumab for genital, nail, and scalp lesions with psoriasis: a 24-week real-world study. *J Dermatol* 51 (12): 1658-1664, 2024. (2024. 12)

23. Ichiyama S, Ito M, Ozaki S, Arai T, Atsukawa M, Iwakiri K, Hagino T, Hoashi T, Kanda N, Saeki H: Real-world screening data for liver fibrosis in psoriasis patients treated with biologics. *J Nippon Med Sch* 91 (6): 534-540, 2024. (2024. 12)

24. Hagino T, Onda M, Saeki H, Fujimoto E, Kanda N: Effectiveness of deucravacitinib for genital, nail, and scalp lesions with psoriasis: a 24-week real-world study. *Clin Exp Dermatol* 50 (1): 130-133, 2024. (2025. 1)

25. Hagino T, Saeki H, Fujimoto E, Kanda N: Predictive factors for long-term responders to upadacitinib treatment in patients with atopic dermatitis. *Dermatitis* 36 (1): 62-71, 2025. (2025. 1)

26. Sasa N, Kojima S, Hasegawa T, Namkoong H, Hirota T, Watanabe R, Nakamura Y, Oguro-Igashira E, Ogawa K, Yata T, Sonehara K, Yamamoto K, Kishikawa T, Sakaue S, Edahiro R, Shirai Y, Maeda Y, Nii T, Chubachi S, Tanaka H, Suzuki A, Nakajima K, Arase N, Okamoto T, Nishikawa R, Namba S, Naito T, Miyagawa I, Tanaka H, Ueno M, Ishitsuka Y, Furuta J, Kunimoto K, Kajihara I, Fukushima S, Miyachi H, Matsue H, Kamata M, Momose M, Bito T, Nagai H, Ikeda T, Horikawa T, Adachi A, Matsubara T, Ikumi K, Nishida E, Nakagawa I, Yagita M, Yoshimura M, Ohshima S, Kinoshita M, Ito S, Arai T, Hirose M, Tanino Y, Nikaido

T, Ichiwata T, Ohkouchi S, Hirano T, Takada T, Tazawa R, Morimoto K, Takaki M, Konno S, Suzuki M, Tomii K, Nakagawa A, Handa T, Tanizawa K, Ishii H, Ishida M, Kato T, Takeda N, Yokomura K, Matsui T, Uchida A, Inoue H, Imaizumi K, Goto Y, Kida H, Fujisawa T, Suda T, Yamada T, Satake , Ibata H, Saigusa M, Shirai T, Hizawa N, Nakata K, Imafuku S, Tada Y, Asano Y, Sato S, Nishigori C, Jinnin M, Ihn H, Asahina A, Saeki H, Kawamura T, Shimada S, Katayama I, Poisner HM, Mack TM, Bick AG, Higasa K, Okuno T, Mochizuki H, Ishii M, Koike R, Kimura A, Noguchi E, Sano S, Inohara H, Fujimoto M, Inoue Y, Yamaguchi E, Ogawa S, Kanai T, Morita A, Matsuda F, Tamari M, Kumanogoh A, Tanaka Y, Ohmura K, Fukunaga K, Imoto S, Miyano S, Parrish NF, Okada Y: Blood DNA virome associates with autoimmune diseases and COVID-19. *Nat Genet* 57 (1): 65-79, 2025. (2025. 1)

27. Saeki H, Ohya Y, Arakawa H, Ichiyama S, Katsunuma T, Katoh N, Tanaka A, Tanizaki H, Tsunemi Y, Nakahara T, Nagao M, Narita M, Hide M, Fujisawa T, Futamura M, Masuda K, Matsubara T, Murota H, Yamamoto-Hanada K, Furuta J: English version of clinical practice guidelines for the management of atopic dermatitis 2024. *J Dermatol* 52 (2): e70-e142, 2025. (2025. 2)

28. Hagino T, Onda M, Saeki H, Fujimoto E, Kanda N: Effectiveness of long-term bimekizumab treatment and predictive factors for responders in moderate-to-severe psoriasis: A 52-week real-world study. *J Dermatol* 52 (2): 317-328, 2025.

29. Imafuku S, Ohata C, Honma M, Saeki H, Mizutani Y, Miyagi T, Murotani K, Kanai Y: Plain language summary of publication: the ProLOGUE study investigating brodalumab in people with plaque psoriasis. *Ther Adv Chronic Dis* 16: 1-22, 2025. (2025. 2)

30. Morita T, Ichiyama S, Ito M, Ozaki S, Arai T, Atsukawa M, Iwakiri K, Hagino T, Hoashi T, Kanda N, Saeki H: Effects of biologics on fibrosis-4 index in patients with psoriasis. *J Nippon Med Sch* 92 (1): 88-96, 2025. (2025. 2)

31. Ibuchi Y, Ozaki S, Inoue Y, Saeki H, Funasaka Y: Excimer laser penetrates deeper into hair follicles and activates more melanocyte lineage cells than excimer light. *J Nippon Med Sch* 92 (1): 52-60, 2025. (2025. 2)

32. Hagino T, Onda M, Saeki H, Fujimoto E, Kanda N: Predictive factors for responders to deucravacitinib treatment in patients with psoriasis. *J Dermatol* 52 (3): 551-555, 2025. (2025. 3)

33. Hagino T, Saeki H, Fujimoto E, Kanda N: Effectiveness and safety of upadacitinib

retreatment after withdrawal in moderate-to-severe atopic dermatitis: a retrospective study. *Clin Exp Dermatol* 50 (4): 770-778, 2025. (2025. 3)

英語論文 (2025. 4~2026. 3) 47 編

1. Saeki H, Ohya Y, Arakawa H, Ichiyama S, Katsunuma T, Katoh N, Tanaka A, Tanizaki H, Tsunemi Y, Nakahara T, Nagao M, Narita M, Hide M, Fujisawa T, Futamura M, Masuda K, Matsubara T, Murota H, Yamamoto-Hanada K, Furuta J: Executive summary : Japanese guidelines for atopic dermatitis (ADGL) 2024. *Allegol Int* 74 (2): 210-221, 2025. (2025. 4)
2. Hagino T, Saeki H, Fujimoto E, Kanda N: Long-term real-world effectiveness of deucravacitinib in psoriasis: A 52-week prospective study stratified by prior apremilast or biologic therapy. *J Dermatol* 52 (4): 634-641, 2025. (2025. 4).
3. Hagino T, Onda M, Saeki H, Fujimoto E, Kanda N: Real-world 52-week effectiveness of deucravacitinib in psoriasis: A stratified analysis by age and body mass index. *J Dermatol* 52 (4): 663-671, 2025. (2025. 4)
4. Hagino T, Saeki H, Fujimoto E, Kanda N: Bimekizumab for the treatment of genital, scalp, and nail psoriasis: A 52-week real-world study. *J Dermatol* 52 (4): e297-e298. (2025. 4)
5. Hagino T, Saeki H, Fujimoto E, Kanda N: Effectiveness of switching from upadacitinib to tralokinumab in patients with moderate-to-severe atopic dermatitis: a real-world clinical practice. *Ann Dermatol* 37 (2): 86-95, 2025. (2025. 4)
6. Hagino T, Saeki H, Fujimoto E, Kanda N: Long-term effectiveness and safety of deucravacitinib in psoriasis: A 52-week real-world study of genital, scalp, and nail lesions. *Clin Exp Dermatol* 50 (5): 952-959, 2025. (2025. 4)
7. Torii H, Morita A, Yamamoto C, Dong J, Tsujimoto M, Matsuo T, Torisu-Itakura H, Ohtsuki M, Saeki H: Safety and effectiveness of ixekizumab in Japanese patients with psoriasis vulgaris, psoriatic arthritis, generalized pustular psoriasis, and erythrodermic psoriasis: Postmarketing surveillance. *J Dermatol* 52 (5): 787-801, 2025. (2025. 5)
8. Onda M, Hagino T, Saeki H, Fujimoto E, Kanda N: Long-term maintenance of responses to bimekizumab treatment in moderate-to-severe psoriasis: A real-world comparison of Q4W vs Q8W dosing or bio-naïve vs bio-switched patients. *J Dermatol* 52 (5): 907-916, 2025. (2025. 5)

9. Yoneyama M, Hagino T, Saeki H, Fujimoto E, Kanda N: A predictive factor of oral candidiasis in psoriasis patients treated with bimekizumab: Longer disease duration. *J Dermatol* 52 (5): e361-e362. (2025. 5)
10. Hagino T, Saeki H, Fujimoto E, Kanda N: A 96-week real-world outcomes of upadacitinib treatment for atopic dermatitis: systemic therapy-naive versus -experienced patients. *J Am Acad Dermatol* 92 (5): 1049-1055, 2025. (2025. 5)
11. Hagino T, Onda M, Saeki H, Fujimoto E, Kanda N: Effects of tralokinumab on clinical and laboratory indexes in atopic dermatitis: a 24-week real-world study. *Dermatitis* 36 (3): 235-243, 2025. (2025. 5)
12. Fukushima-Nomura A, Kawasaki H, Yashiro K, Obata S, Tanese K, Ebihara T, Saeki H, Eto T, Hasegawa Takehiro, Yazaki J, Seita J, Ohara O, Sekita A, Miyai T, Ashizaki K, Koseki H, Sakurada K, Kawakami E, Amagai M: An unbiased tissue transcriptome analysis identifies potential markers for skin phenotypes and therapeutic responses in atopic dermatitis. *Nat Commun* 16 (1): 4981, 2025. (2025. 6)
13. Murai H, Kawamoto N, Arima T, Okada Y, Takeuchi H, Miyamoto M, Yamamoto-Hanada K, Futamura M, Saeki H, Ohya Y: New topical molecular targeted therapies for atopic dermatitis in children: A systematic review and meta-analysis. *Pediatr Allergy Immunol* 36: e70122, 2025. (2025. 6)
14. Ohtsuki M, Okubo Y, Saeki H, Igarashi A, Imafuku S, Abe M, Saito K, Ogawa R, Morita A: Clinical characteristics and safety profiles of Japanese psoriasis patients who continued apremilast treatment for 6 and 12 months: a post hoc analysis of an apremilast post-marketing surveillance study. *J Dermatol* 52 (6): 1059-1065, 2025. (2025. 6)
15. Tone Y, Matsui M, Park A, Otani S, Shiba M, Okano F, Sugitani I, Kanda N, Saeki H, Hoashi T: A case of Stevens-Johnson syndrome induced by selpercatinib. *J Dermatol* 52 (6): 1066-1069, 2025. (2025. 6)
16. Takahashi Y, Hagino T, Saeki H, Fujimoto E, Kanda N: Identifying predictive factors for week 52 complete skin clearance by deucravacitinib in moderate-to-severe psoriasis: A prospective observational study. *Cureus* 17 (6): e86044, 2025. (2025. 6).
17. Eichenfield LF, Gold LFS, Hebert AA, Guenther L, Valdman-Grinshpoun Y, Ben-Amitai D, Dodiuk-Gad RP, Cork MJ, Aoki V, Chu C-Y, Zhang J, Lin Ma, Saeki H, Luna PC, Koh MJ-

A: Management of mild-to-moderate atopic dermatitis with topical treatments by dermatologists: A questionnaire-based study. *JEADV Clin Pract* 4 (2): 471-481, 2025. (2025. 6)

18. Chovatiya R, Ribero S, Wollenberg A, Ook Park CO, Silvestre JF, Hong HC-H, Seneschal J, Saeki H, Thyssen JP, Øland CB, Gjerum L, Maslin D, Blauvelt A: Long-term disease control and minimal disease activity of head and neck atopic dermatitis in patients treated with tralokinumab up to 4 years. *Am J Clin Dermatol* 26 (4): 587-601, 2025. (2025. 7)

19. Saeki H, Usami M, Suzuki K, Mochizuki M, Arima K: Real-world safety and effectiveness of dupilumab for the treatment of atopic dermatitis: two-year post-marketing surveillance in Japan. *J Cutan Immunol Allergy* 8: 14794, 2025. (2025. 7)

20. Abe M, Igarashi A, Kitajima H, Toyama H, Kabashima K, Saeki H: Treatment satisfaction, efficacy, and safety of delgocitinib ointment for atopic dermatitis-induced rash on the face and neck: Efficacy at reducing local side effects of topical steroid and tacrolimus ointment. *J Dermatol* 52 (8): 1232-1242, 2025. (2025. 8)

21. Shiba M, Hagino T, Saeki H, Fujimoto E, Kanda N: The sustainability of week 16 responses to deucravacitinib treatment for patients with psoriasis. *J Dermatol* 52 (8): e740-e741. (2025. 8)

22. Hagino T, Uchiyama A, Kosaka K, Araki T, Saeki H, Fujimoto E, Motegi S, Kanda N: Real-world experience of switching from tralokinumab to lebrikizumab in atopic dermatitis. *J Eur Acad Dermatol Venereol* 39 (9): e796-e798, 2025. (2025. 9)

23. Hagino T, Saeki H, Fujimoto E, Kanda N: Identification of early and late responders to anti-IL-13 antibody tralokinumab in atopic dermatitis: A real-world Japanese study. *Dermatitis* 36 (5): 500-508, 2025. (2025. 9)

24. Sonehara K, Watanabe R, Matsumura Y, Mitsui Y, Ogawa Y, Odomari K, Sakaue S, Namba S, Komuro M, Edamoto M, Watanabe J, Hirota T, Arase N, Nakamura Y, Nakajima K, Okamoto T, Nishikawa R, Yamamoto K, Suzuki K, Kishikawa T, Edahiro R, Shirai Y, Naito T, Sasa N, Ishitsuka Y, Furuta J, Kunimoto K, Kajihara I, Fukushima S, Miyachi H, Matsue H, Kamata M, Momose M, Miyagawa I, Tanaka H, Ueno M, Bito T, Nagai H, Ikeda T, Horikawa T, Adachi A, Matsubara T, Nishida E, Matsuda K, Shojima N, Nakagawa I, Asano Y, Sato S, Imafuku S, Tada Y, Nishigori C, Jinnin M, Ihn H, Asahina A, Saeki H, Yamauchi T, Kadowaki T, Kawamura T, Shimada S, Katayama I, Higasa K, Noguchi E, Sano S, Tanaka Y, Matsuda F,

Kumanogoh A, Tamari M, Satoh T, Fujimoto M, Morita A, Okada Y: Whole-genome sequencing reveals rare and structural variants contributing to psoriasis and identifies CERCAM as a risk gene. *Cell Genom* 5 (10): 100978. (2025. 10)

25. Ichiyama S, Ohkusu-Tsukada K, Saeki H: Exacerbated signs of atopic dermatitis with gut dysbiosis predominate in male than in female adult patients. *Allegol Int* 74 (4): 633-636, 2025. (2025. 10)

26. Kamiya K, Okubo Y, Tada Y, Saeki H, Yamaguchi Y, Morita A, Abe M, Kodera M, Sano S, Ohtsuki M: Questionnaire survey on the treatment of psoriasis patients who achieved remission with biologics. *J Dermatol* 52 (10): 1545-1554, 2025. (2025. 10)

27. Hagino T, Saeki H, Fujimoto E, Kanda N: Effectiveness of tralokinumab for upadacitinib-refractory atopic dermatitis: 48-week retrospective study. *J Am Acad Dermatol* 93 (5): 1332-1334, 2025. (2025. 11)

28. Hagino T, Saeki H, Fujimoto E, Kanda N: Predictive factors for poor responders to tralokinumab in moderate-to-severe atopic dermatitis: A real-world analysis. *Dermatitis* 36(6):627-635, 2025. (2025. 11)

29. Takahashi Y, Hagino T, Saeki H, Fujimoto E, Kanda N: Higher baseline LDH and history of allergic rhinitis as predictive factors of conjunctivitis in atopic dermatitis patients treated with tralokinumab. *Dermatitis* 36(6):666-668, 2025. (2025. 11)

30. Hagino T, Onda M, Saeki H, Fujimoto E, Kanda N: Real-world outcomes of lebrikizumab treatment for upadacitinib-refractory atopic dermatitis. *J Eur Acad Dermatol Venereol* 39 (12): e1036-e1038, 2025. (2025. 12)

31. Hagino T, Uchiyama A, Kosaka K, Araki T, Saeki H, Fujimoto E, Motegi S, Kanda N: Real world experience of switching from tralokinumab to lebrikizumab: Author's reply. *J Eur Acad Dermatol Venereol* 39 (12): e1073-e1074, 2025. (2025. 12)

32. Takahashi Y, Hagino T, Saeki H, Fujimoto E, Kanda N: A 104-week real-world outcome of bimekizumab treatment for psoriasis: Biologic-naïve versus -experienced patients. *J Dermatol* 52 (12): 1856-1863, 2025. (2025. 12)

33. Hagino T, Uchiyama A, Kosaka K, Araki T, Saeki H, Fujimoto E, Motegi S, Kanda N: A 48-week real-world outcome of tralokinumab treatment for atopic dermatitis: Systemic therapy-

naïve versus -experienced patients. *J Am Acad Dermatol* 94 (1): 321-322, 2026. (2026. 1)

34. Kamiya K, Yamaguchi Y, Saeki H, Kodera M, Tada Y, Morita A, Abe M, Okubo Y, Sano S, Ohtsuki M: Prospective, open label, multicenter study of apremilast as maintenance therapy for psoriasis patients in remission with biologics. *J Dermatol* 53 (1): 71-85, 2026. (2026. 1)

35. Hagino T, Saeki H, Fujimoto E, Kanda N: Effectiveness of tralokinumab for different anatomical sites and clinical signs in atopic dermatitis: A 36-week real-world study. *Dermatitis*, 37 (1): 84-90, 2026. (2026. 1)

36. Saeki H, Ohya Y, Baba N, Imamura T, Yokota D, Tsubouchi H: A phase 3, long-term, open-label study of difamilast ointment to evaluate efficacy and safety in Japanese infants with atopic dermatitis. *Dermatol Ther (Heidelb)* 16 (1): 339-352, 2026. (2026. 1)

37. Toyoshima A, Noguchi N, Suzuki T, Kuroki T, Kagaya M, Oda F, Kono M, Sasaki J, Sasaki T, Saeki H, Osada S: PI3K γ suppresses cutaneous squamous cell carcinoma formation by modulating the tumor microenvironment rather than by promoting cell proliferation. *Exp Dermatol* 35 (2): e70219, 2026. (2026. 2)

38. Ishihara R, Hagino T, Saeki H, Fujimoto E, Kanda N: Real-world effectiveness of lebrikizumab for prurigo nodularis-like phenotype of atopic dermatitis: 1-year retrospective study. *J Drugs Dermatol* 25 (2): e38-e39, 2026. (2026. 2)

39. Tone Y, Hoashi T, Otani S, Hoshikawa K, Kanda N, Saeki H: Effectiveness of exposing bone marrow for minor amputation in diabetic foot gangrene: a single-center retrospective study. *J Nippon Med Sch* 93 (1): 17-24, 2026. (2026. 2)

40. Abe M, Igarashi A, Kitajima K, Toyama H, Kabashima K, Saeki H: Treatment satisfaction, efficacy, and safety of delgocitinib ointment following switch from topical corticosteroids for trunk and extremity rash in atopic dermatitis. *J Dermatol* 53 (3): 410-420, 2026. (2026. 3)

41. Shiba M, Hagino T, Uchiyama A, Kosaka K, Araki T, Saeki H, Fujimoto E, Motegi S, Kanda N: Long-term, site-specific effectiveness of tralokinumab in atopic dermatitis: A 72-week real-world study. *J Dermatol* 53 (3): 454-460, 2026. (2026. 3)

42. Okabe Y, Hagino T, Takahashi Y, Saeki H, Fujimoto E, Kanda N: Two-year real-world effectiveness of deucravacitinib 6 mg in psoriasis: A single-center analysis stratified by body mass index or age in a Japanese cohort. *J Dermatol* 53 (3): 196-505, 2026. (2026. 3)

43. Usuki H, Hagino T, Takahashi Y, Saeki H, Fujimoto R, Kanda N: The maintenance of early responses and achievement of delayed responses to deucravacitinib treatment in psoriasis: A 104-week real-world study in Japan. *J Dermatol* 53 (3): 506-513, 2026. (2026. 3)
44. Hagino T, Saeki H, Fujimoto E, Kanda N: Predictive factors for primary and secondary non-responders to upadacitinib in patients with moderate-to-severe atopic dermatitis: a real-world study. *Dermatitis* 37 (2): 245-252, 2026. (2026. 3)
45. Hagino T, Uchiyama A, Onda M, Kosaka K, Araki T, Motegi S, Saeki H, Fujimoto E, Kanda N: Real-world Japanese study of the effectiveness and safety of switching from dupilumab to lebrikizumab in patients with moderate to severe atopic dermatitis. *Dermatitis* 37 (2): e293-e295, 2026. (2026. 3)
46. Okano F, Hagino T, Saeki H, Fujimoto E, Kanda N: Transition of hematological indexes in 36-week treatment with lebrikizumab for atopic dermatitis: a real-world prospective Japanese study. *Dermatitis* 37 (2): e298-e299, 2026. (2026. 3)
47. Kamohara R, Hagino T, Saeki H, Fujimoto E, Kanda N: Long-term effectiveness of tralokinumab in patients with atopic dermatitis refractory to dupilumab: a 48-week real-world study. *Dermatitis* 37 (2): e303-e304, 2026. (2026. 3)